

# Searching for Evidence of Harm: 79 Key Studies Do Not Demonstrate That Sexual Orientation Change Efforts (SOCE) Are More Harmful Than Other Counseling

*Peter S. Sprigg<sup>1</sup>*

*Family Research Council, Washington, D.C.*

Critics of sexual orientation change efforts (SOCE), which is sometimes referred to as “conversion therapy,” make two principal assertions—that such therapy is ineffective, and that it is harmful. This article addresses the latter assertion, evaluating the scientific evidence of SOCE harms. A recent book (Doyle, 2019) included an appendix labeled “Peer-Reviewed Journal Articles and Academic Books on ‘Conversion Therapy’ Outcomes that Include Measures of Harm.” I undertook a literature review of the 79 sources cited in this document. Some of these studies do not contain *any* assertion or even discussion of the possibility of “harm” to individual clients resulting from SOCE. Others do assert or suggest that SOCE may be harmful but feature *no* study subjects. Only a minority of the sources include studies or case reports on individuals who have undertaken SOCE. Just six studies (reported on in 11 of the sources) involved sample sizes of 50 or more SOCE clients. These six are described in detail. Most of the studies suffer from significant methodological weaknesses. Several are explicitly “qualitative” rather than quantitative. The two strongest studies methodologically show the most positive outcomes and the fewest reports of harm. While these 79 studies do provide *anecdotal* evidence that *some* SOCE experiences were harmful to *some* clients, they do not demonstrate scientifically that SOCE is more harmful than other forms of therapy, more harmful than other courses of action for those with SSA, or more likely to be harmful than helpful for the average client.

Sexual orientation change efforts (SOCE) consist of therapy, counseling, and/or support groups designed to reduce same-sex sexual attractions, reduce or eliminate homosexual

conduct, and/or increase opposite-sex attractions. Such efforts (sometimes referred to by critics as “conversion therapy”<sup>2</sup>) have been controversial for decades, ever since the

---

<sup>1</sup> Peter S. Sprigg is now Research and Advocacy Director with Medical Institute for Sexual Health, Dallas, Texas.

An earlier version of this article was published by Family Research Council (Sprigg, 2020). This paper should not be taken as representing the views of Medical Institute for Sexual Health.

Correspondence concerning this article should be addressed to Peter S. Sprigg, Medical Institute for Sexual Health, P.O. Box 794845, Dallas, TX 75379. Email: [medinstitute@medinstitute.org](mailto:medinstitute@medinstitute.org).

<sup>2</sup> Those who engage in such efforts have, at various times, referred to them as “sexual reorientation therapy,” “reparative therapy” (Nicolosi, 1997), “change therapy,” and more recently, “Reintegrative Therapy®” (Nicolosi,

American Psychiatric Association's 1973 decision to remove homosexuality from its official list of mental disorders (Bayer, 1987). Yet despite the controversy and criticism, there has continued to be a demand for such assistance from people who experience their same-sex attractions as something unwanted.

In the last decade, the attacks upon SOCE by LGBT (lesbian, gay, bisexual, and transgender) activist groups and their political allies rose to a new level, with the first enactment of legal restrictions upon the practice of SOCE. In 2012, California became the first state to adopt such restrictions, banning sexual orientation change efforts with minors by licensed mental health providers (*Sexual Orientation Change Efforts*, 2012). At this writing, 23 states and over 90 localities have enacted or imposed restrictions upon SOCE (List of U.S. jurisdictions banning conversion therapy, 2021).

### **“No Illness, No Cure?”**

Criticism of SOCE is sometimes rooted in the 1973 APA decision itself. These critics argue that since “there is no illness, there is no cure” (Schreier, 1998, p. 305). Indeed, some assert on this basis that SOCE is unethical. However, people often seek counselling or psychotherapy for reasons having nothing to do with the presence of a diagnosable mental illness (Rauch, 2015). For example, grief over the loss of a loved one and marital discord are among the most common reasons why people seek counselling—yet neither is a diagnosable “mental illness.”

---

2018) or “sexual attraction fluidity exploration in therapy,” or “SAFE-T” (Rosik, 2016). For the most part, it is only critics of such efforts who use the term “conversion therapy.” The term “sexual orientation change efforts” (or “SOCE” for short) is broad enough to include both professional therapy offered by licensed mental health providers and the more informal counseling and support offered by religious

### **Why People Seek Change**

Even if homosexuality is not, in and of itself, considered a “mental illness,” there are still legitimate reasons why an individual might seek voluntarily to reduce same-sex attractions, increase opposite-sex attractions, and curtail homosexual conduct. For example, an individual may have experienced homosexual relationships and life in the “gay community” and become personally disillusioned with it. Homosexual conduct (especially among men) carries elevated health risks compared to heterosexual conduct (Winn, 2012; *The Health Hazards of Homosexuality*, 2017, pp. 91–377), which a client may legitimately seek to avoid.<sup>3</sup> An individual may aspire to form a family and may have a desire to do so by natural means, conceiving children through heterosexual intercourse and raising them in a home where both the natural mother and father participate in child-rearing. Some may be convinced that their same-sex attractions are not innate but are a result of developmental experiences or childhood trauma—such as child sexual abuse (Gallagher, 2016).

At this point, however, by far the most common reason why people seek change in their sexual attractions, behavior, or identity is religious conviction. Many people who are (for example) evangelical Protestants, conservative Catholics, Mormons, or orthodox Jews may consider their religious identities more fundamental to who they are than their sexual attractions are. Such individuals who experience same-sex attractions yet believe that the teachings of

counselors and ministries, who may not be licensed and whose efforts are often not, strictly speaking, a form of “therapy.”

<sup>3</sup> “Someone who wished to avoid the risk of death should be helped to avoid the activities that expose him to life-threatening disease; it is unethical for a therapist *not* to provide—or not to refer a client for—such help” (Phelan et al., 2009, p. 48).

Scripture or their faith forbid homosexual conduct may seek professional assistance in living their lives in a way that is compatible with the moral teachings of their faith.<sup>4</sup>

### **Arguments for Therapy Bans**

While assertions that “homosexuality is not a mental illness” are one source of criticism of SOCE, they may not be sufficient to justify legal restrictions upon the practice, in light of the considerations noted above. Instead, there are two major claims that are used to argue in favor of what we will refer to as “therapy bans.”<sup>5</sup> They are:

***Claim: “This therapy is ineffective.”***

Critics claim that it is simply not possible to change someone’s sexual orientation. Some suggest that an individual’s sexual orientation is an innate biological or genetic characteristic which is inherently immutable. They assert that counseling can no more change a person’s sexual orientation than it can change a person’s eye color. This view is implicit in the scattered efforts which have been mounted to declare SOCE a form of “consumer fraud,” the modern-day equivalent of selling snake oil (see, e.g., Complaint for Action to Stop False,

Deceptive Advertising and Other Business Practices, 2016).

However, scientists have failed to uncover the long-sought “gay gene” which was theorized to determine a person’s sexual orientation (Ganna et al., 2019; analyzed in Sprigg, 2019b), and the best modern science has debunked the idea that sexual orientation is absolutely immutable (Dickson et al., 2013; Mock & Eibach, 2012; Ott et al., 2011; Savin-Williams & Ream, 2007; analyzed in Diamond & Rosky, 2016; Sprigg, 2019a). Those with a somewhat more nuanced view, therefore, may acknowledge that change in some of the elements of sexual orientation (attractions, behavior, and self-identification) does occur over time in some people—but still claim that it is futile to try to deliberately effect such change through therapeutic interventions (Diamond & Rosky, 2016, p. 368). They may charge that SOCE practitioners guarantee total transformation from 100% homosexual to 100% heterosexual on all the elements of sexual orientation, and that merely incremental change in one or more elements of sexual orientation constitutes a “failure” of therapy to achieve such dramatic transformation. This is a straw man argument, because most SOCE practitioners do not “guarantee” success, and many SOCE clients would

---

<sup>4</sup> Phelan et al. explain, “For many, the desire to diminish homosexuality and to develop heterosexual potential is intrinsic to their value system. This may include a religious background that values gender complementarity and traditional understandings of family and sexuality,” and “failure to offer therapeutic help to persons who are ‘dissatisfied’ with their homosexuality on religious grounds would be violating their rights not only to autonomy and self-determination, but also to religious freedom” (Phelan et al., 2009, p. 48). SOCE critic Douglas Haldeman appeared to agree in a 2002 article not included on the “Measures of Harm” list, saying, “In some circumstances, it is more conceivable, and less emotionally disruptive, for an individual to contemplate changing sexual orientation than to disengage from a religious way of life that is seen as

completely central to the individual’s sense of self and purpose. . . . [W]e must respect the choices of all who seek to live life in accordance with their own identities; and if there are those who seek to resolve the conflict between sexual orientation and spirituality with conversion therapy, they must not be discouraged” (Haldeman, 2002, pp. 262–263).

<sup>5</sup> Legislative restrictions upon SOCE that have been proposed or enacted vary in two key respects. Most apply only to licensed mental health practitioners; however, some apply to all sexual orientation change efforts, regardless of who the provider is. Most thus far have applied only to SOCE with minors, but there has been a growing effort to apply them to adults as well. I will refer to all these variations as “therapy bans” or “SOCE bans” interchangeably.

consider such incremental change to be a success, not a failure.<sup>6</sup>

Critics of SOCE claim there is no evidence of its effectiveness. This is untrue, as I have reported elsewhere (see Sprigg, 2018c; analyzing Black, 2017; Jones & Yarhouse, 2011; Karten & Wade, 2010; Nicolosi et al., 2000; Santero et al., 2018; and Spitzer, 2003). There is abundant anecdotal evidence in the form of personal testimonies of people who recount having experienced change in their sexual orientation. However, there is also scientific evidence, some of which has been published in peer-reviewed academic journals (see Phelan et al, 2009, p. 1, for a summary). What is true is that the quality of studies that have been done is limited by sampling challenges and methodological weaknesses, so one could perhaps say there is not definitive scientific *proof* of the effectiveness of SOCE, nor of which techniques may be the most effective.

---

<sup>6</sup> The leading national organization for professional therapists who engage in SOCE, the National Association for Research and Therapy of Homosexuality, or NARTH (now known as the Alliance for Therapeutic Choice and Scientific Integrity), wrote in 2009: “We acknowledge that change in sexual orientation may be difficult to attain. As with other deeply ingrained psychological conditions and behavioral patterns . . . change through therapy does not come easily, and there is a substantial therapeutic failure rate. . . . But even when clients have failed to change sexual orientation, other benefits commonly have resulted from their attempts” (Phelan et al., 2009, p. 39).

<sup>7</sup> The American Counseling Association states that one of the “fundamental principles of professional ethical behavior” is “*autonomy*, or fostering the right to control the direction of one’s life” [emphasis in the original] (*2014 ACA code of ethics*, 2014, p. 3).

<sup>8</sup> A panel of the U.S. Court of Appeals for the 11<sup>th</sup> Circuit ruled in 2020 that therapy bans “violate the First Amendment because they are content-based regulations of speech that cannot survive strict scrutiny” (*Otto v. City of Boca Raton*, 2020, p. 2). Some federal courts had previously upheld therapy

***Claim: “This therapy is harmful.”***

Assertions that SOCE is unethical because it treats a non-existent “illness,” or that it is ineffective because it is impossible to totally reverse a person’s sexual orientation, are used in support of therapy bans (despite the weaknesses of these arguments, as noted above). However, it is difficult for these arguments to overcome the presumptions in favor of client autonomy and of religious liberty which protect the right of clients to seek the life change they desire<sup>7</sup> and the right of therapists and counselors to assist them.<sup>8</sup>

The draconian step of legislators or regulators imposing an outright legal ban on such therapies or counseling, complete with government-enforced sanctions to punish violators—merely on the basis of the client-chosen goal being pursued—is something completely unprecedented in the mental health field. Under these circumstances, such legislators or regulators have a right—and a duty<sup>9</sup>—to demonstrate that SOCE is actually

bans, but the Supreme Court criticized those decisions in a 2018 decision on another issue: “Some Courts of Appeals have recognized ‘professional speech’ as a separate category of speech that is subject to different rules. . . . But this Court has not recognized “professional speech” as a separate category of speech. Speech is not unprotected merely because it is uttered by ‘professionals’” (*NIFLA v. Becerra*, 2018, pp. 2371–2372).

<sup>9</sup> The 11<sup>th</sup> Circuit panel which struck down local therapy bans in Florida said, “Under strict scrutiny, content-based restrictions [on therapist speech] are presumptively unconstitutional. And they can be justified only if the government proves that they are narrowly tailored to serve compelling state interests.” The panel later went on to examine the alleged harms of SOCE: “Defendants say that the ordinances ‘safeguard the physical and psychological well-being of minors.’ Together with their amici, they present a series of reports and studies setting out harms. But when examined closely, these documents offer assertions rather than evidence, at least regarding the effects of purely speech-based SOCE” (*Otto v. City of Boca Raton*, 2020, pp. 19–21; internal quotation marks and citations omitted).

*harmful* to the people who undertake it. In other words, legislators or regulators should ask proponents of such therapy bans for convincing evidence that undertaking such efforts is likely to leave the individual *worse* off than they were *before* SOCE, and worse off afterwards than if they had not undertaken SOCE.

This question—whether science provides such convincing evidence that SOCE is harmful—is the one that this article examines.

### Why This Paper?

As noted above and in the accompanying notes, I have previously written several papers about sexual orientation change efforts, and in them I have documented that there is an abundance of evidence in support of the effectiveness of SOCE, as well as a lack of evidence that SOCE is generally harmful (Sprigg, 2014, 2018b, 2018c, 2019a). However, in the last three years I became aware of a document labeled, “Peer-Reviewed Journal Articles and Academic Books on ‘Conversion Therapy’ Outcomes That Include Measures of Harm.” This multi-page document lists no less than 79 academic sources.

The document itself does not include the name of an author or editor or any indication of who compiled it. Nor has the document itself been published in any peer-reviewed journal, as far as I know. However, it was re-published as an appendix in a 2019 book by Christopher Doyle titled *The War on Psychotherapy* (Doyle, 2019, “Appendix C: Measures of Harm,” pp. 365–374.)

Doyle reports in this book that he received the document from Dr. A. Lee Beckstead.<sup>10</sup> Beckstead is a psychologist from Utah who has done research on SOCE (several of his articles are among the 79 sources listed in the document). Beckstead was a Mormon who experienced same-sex attractions. He resolved the conflict between Mormon teaching against homosexual conduct and his own attractions by renouncing Mormonism and embracing a “gay” identity.

Beckstead is a critic of SOCE, but one who has been willing to engage in respectful dialogue with therapists who hold other points of view and who practice SOCE. He acknowledges the importance of religion to the personal identity of some clients, and he admits that it is unrealistic to expect all such individuals to prioritize their sexuality over their faith. Therefore, this paper should not be taken as an attack upon Beckstead personally—especially since it is unclear whether he compiled the list of 79 sources that he passed on to Doyle.<sup>11</sup> As I have noted, previous research I have done on this topic has led me to conclude that there is no evidence that SOCE is generally harmful to those who undertake it (see especially Sprigg, 2018c). Therefore, when I first saw what I will call the “Measures of Harm” document, I was skeptical. First, I was skeptical that there were that many sources with any convincing evidence of harm from SOCE; but more specifically, I was skeptical that there were that many sources that included actual “measures of harm”—a term which would seem to imply some actual quantitative analysis, not merely anecdotes or a compilation of expert opinions.

---

<sup>10</sup> Doyle writes, “Regarding the harmful outcomes of ‘conversion therapy,’ there is not an exhaustive or comprehensive bibliography yet published. My thanks to Dr. A. Lee Beckstead for providing me an extensive bibliography that can be viewed at Appendix B” [sic; it actually appears as Appendix C] (Doyle, 2019, p. 107).

<sup>11</sup> It is also unclear whether Beckstead has personally reviewed all 79 of the studies, or whether he vouches for the accuracy of the list. However, it seems unlikely that he would circulate it if he had serious doubts about its accuracy or credibility.

I concluded that the only way to determine if the “Measures of Harm” document lives up to its billing was to undertake my own literature review of all 79 sources listed.

The 79 sources include:

- 1 book
- 1 doctoral dissertation
- 4 book chapters
- 73 articles or other writings<sup>12</sup> in academic journals

*Note: The sources included in the “Measures of Harm” document are also included in the Reference List at the end of this article, along with other sources cited. Sources that appear in the “Measures of Harm” document are marked with an asterisk (\*).*

## Methodology

My first task was to acquire the full text of as many of these studies as possible. Some were already in my collection at Family Research Council. Some were freely available on the internet. I was able to obtain about half of the sources by these means. The remainder were located via databases accessed at either the National Library of Medicine or the Library of Congress. The one published book on the list was already in my library, having been purchased online. Although I was prepared to undertake this review without all 79 sources, if needed, in the end I was able to acquire all of them.

---

<sup>12</sup> Some of these were “Peer Commentaries” or letters to the editor, rather than full journal articles.

<sup>13</sup> There were a few older articles of which I was only able to obtain a scanned copy, rather than a searchable electronic text. All of the scanned articles were read in full. For the one published book (Jones and Yarhouse, 2007), I did a keyword search of the

## Keyword Searches

My initial plan was to personally read all 79 sources in the “Measures of Harm” document. Indeed, I was able to read the majority of the articles in full. However, I realized that some of these sources were quite long and reading all of them in full would make the research even more time-consuming. In addition, I discovered that some articles had many pages of highly technical descriptions of their methodology, including details of statistical analysis, while I was only concerned with any *findings* they might have regarding the harms of SOCE. Therefore, with this minority of articles, I decided to do a keyword search of the electronic text for any words that might allude to the possibility of or a finding of harm.<sup>13</sup> A list of the keywords used can be found in the Appendix. In the end, I read 63 of the 79 sources in full. The remaining 16 were analyzed using keyword searches. *A double asterisk (\*\*)* appears next to the studies that were analyzed for keywords in Reference List.

## Preliminary Considerations

Before examining the content of the 79 studies reviewed here, it is important to clarify the right way to think about the question of harm from SOCE.

### *Zero Harm Is Unrealistic*

Even if it can be convincingly demonstrated that some individual, or even some group of individuals, experienced harm as a result of SOCE, that would not prove that SOCE is *generally* harmful. Still less would it justify legal restrictions which would flatly

book’s index. While this is less comprehensive than a full-text search, Jones and Yarhouse include an entire chapter (which I read in full) on the subject of “harm” from SOCE, as well as several other significant passages about it, so I feel confident that I did not miss any major findings about harm from this source.

prohibit SOCE. This is because of a fact well known to the medical and psychological professions, but sometimes ignored when this topic is under discussion—namely, that *all* medical and psychological interventions carry at least *some* risk of harm (Carroll & Frakt, 2015). Aspirin can cause harm, appendectomies can cause harm, cognitive behavioral therapy can cause harm (Schermuly-Haupt et al., 2018)—and yes, SOCE can, presumably, in some clients and on some occasions, cause some measure of harm. The mere *possibility* of harm, or even the proven *reality* of it in *some* cases, is not enough to distinguish SOCE from any other form of medical treatment or psychological counseling or therapy.

Jones and Yarhouse (2007) also note the possibility of individual harm even from practices that are not harmful on average:

... [W]e cannot conclude that specific individuals are not harmed by an attempt to change. It is important to remember that life is dangerous and filled with potential harm. . . . Additionally, specific individuals may be psychologically fragile in such ways that well-meaning interventions that would not cause harm to most other persons may be traumatic to those persons. (p. 376)

Santero et al. (2018) suggest that SOCE critics are misusing the traditional dictum of medical ethics, “First do no harm,” which really means “avoiding deliberate embracing of predominant known harm”—not a therapy “totally free of side effects.” As they note, “Zero harm is not realistic, nor probably attainable for any type of therapy,” since “serious sequelae may accompany even good therapy. . . . Minimalization [of harm] is a much more realistic goal” (p. 14).

Instead of merely asking whether harm from SOCE is *possible*,

[T]reatment decisions must be made according to a thoughtful and well-informed benefit-risk analysis. . . . [A]ll treatments and interventions have potential risks. The question cannot be simply, Are there any risks? But rather, how do I weigh the potential gains from this intervention against its potential risks? (Jones and Yarhouse, 2007, pp. 361–362)

### ***How Many Are Harmed, and How Much?***

To determine whether the possibility of harm is a problem serious enough to justify discouraging or even outlawing SOCE (as opposed to merely acknowledging a risk of harm in the process of informed consent), we need to ask several additional questions:

- **What *Percentage* of SOCE Clients Experience Harm?** If only a small percentage of such clients experience harm, there would be less justification to discourage or outlaw SOCE. If all or a large majority of clients experience harm, the case against SOCE would be stronger.
- **Are SOCE Clients *More Likely* to Be Harmed than Helped?** Some critics of SOCE simply dismiss the possibility that some clients are *helped* by SOCE. They may also fail to recognize that even clients who fail to experience a major change in all the elements of sexual orientation could still be helped by SOCE in other ways. Finally, SOCE critics fail to recognize that a client could be *both* helped in some ways and harmed in other ways by the process of SOCE. If more clients are helped than harmed, it would weaken the argument against SOCE; while if more clients are harmed than helped, or if the level of harm exceeds the level of benefit in clients who experience both, then the case against SOCE would be strengthened.

- **How *Serious* Is the Harm That Is Alleged to Result from SOCE?** The most dramatic illustration of this is the question of suicide. Some critics assert that SOCE increases the risk for suicidality (which may consist of suicidal thoughts, suicide attempts, or completed suicides). If, say, only 5% of clients are harmed by SOCE, but a large percentage of those become suicidal (and especially if a large percentage *actually commit suicide*), that would be a much greater reason for concern than if 5% of SOCE clients experience a mild or temporary increase in stress or anxiety.<sup>14</sup>

### ***Harmful—Compared to What?***

Just because a person undergoes SOCE and subsequently experiences a negative state of mental health (such as depression, for example) does not prove that SOCE must be deemed “harmful.” For one thing, we would need to know what that person’s state of mental health was *before* SOCE, for comparison. But even beyond that, we would need some kind of comparison to other groups of people. Sexual orientation change efforts exist for the benefit of people with *unwanted* same-sex attractions. Therefore, outcomes for people with unwanted SSA who undergo SOCE should be compared with:

- People with unwanted SSA who receive *no* counseling or therapy;
- People with unwanted SSA who receive counseling or therapy that is not designed to address their sexual orientation;
- People with unwanted SSA who receive what is called “gay affirming

therapy” (GAT), which urges clients to accept SSA and embrace a “gay” identity.

While the population of others with unwanted SSA is the most relevant comparison group, it would also be interesting to note the outcomes or mental health status of those with same-sex attractions who do *not* consider them unwanted or seek to overcome them, but instead are willing to accept or even embrace a lesbian, gay, or bisexual identity. Again, it would be helpful to break down this population into:

- Those who receive *no* counseling or therapy;
- Those who receive counseling or therapy that is not designed to address their sexual orientation;
- Those who receive “gay affirming therapy” (GAT), if any.

Finally, it would be useful to compare the mental health of all of these groups with that of people who do *not* experience same-sex attractions—again, broken down into those who do or do not receive some type of counseling or therapy for any issue. One of the “Measures of Harm” sources described this need for comparisons:

Our numbers acquire meaning when we answer the question, Compared to what? When comparing against a nonpatient population, we are asking, Is this person more distressed . . . than the average person on the street? When comparing against an outpatient mental health population, we are asking, how intensely is this

---

<sup>14</sup> A publication from the National Association for Research and Therapy of Homosexuality (NARTH) gave another illustration: “[A] drug that cured cancer in only 1 percent of those who took it—but that failed in 99 percent of patients, and that

caused short-term nausea as well—would not be taken off the market; in fact it would be ethically endorsed as at least worth a try. . . .” (Phelan et al., 2009, p. 47).



person distressed compared to the average person currently in treatment for psychological or emotional concerns? (Jones and Yarhouse, 2007, pp. 334–335)

Although I will reserve most of the conclusions of this paper until the end, let me offer the answer to this question right here. *Almost none of the 79 studies on the “Measures of Harm” list uses any control group to compare to those who had SOCE—and none does all of the comparisons recommended here.*<sup>15</sup> This is important to bear in mind from the outset. Even the studies in which some subjects reported that they were harmed by SOCE or reported experiencing negative mental health conditions subsequent to SOCE offer *no answer* to the all-important question—*harm compared to what?*

### ***What Is Not Harm?***

While I was reading through the 79 sources analyzed here, it became clear that some critics who assert that SOCE is harmful use a very broad definition of “harm” that includes some concepts which should not actually be counted as “harms,” especially in the context of debates over legal restrictions upon SOCE. The following, though sometimes cited in the literature, should *not* be considered “harms” for our purposes:

- **“Failure to change”**—Some writers argue that SOCE clients have automatically been harmed if the counseling or therapy does not succeed in bringing about fundamental change in the client’s sexual orientation. However, this

is nothing but a re-statement of the claim that SOCE is ineffective. The claim that SOCE is ineffective and the claim that it is harmful are usually presented as *two separate* claims in support of arguments for discouraging or restricting SOCE; counting the failure to change as a *form* of harm is really a form of double-counting as far as claims supporting arguments against SOCE are concerned.

- **“Waste of time and resources”**—Some critics of SOCE assert that clients are harmed if they spend time and money on an unsuccessful attempt to change their sexual orientation. This, too, is simply a double counting of the claim that SOCE is ineffective and should not be counted as a separate argument on its own.

- **“Delay in coming out”**—Some critics argue that clients are harmed because SOCE delays their “coming out” as gay, becoming integrated into the “gay community,” and enjoying whatever pleasures or satisfactions they may experience from engaging in homosexual relationships. These critics assert that an eventual acceptance of a “gay” identity is virtually inevitable (because SOCE cannot prevent it), and that it is a positive thing in and of itself. However, from the perspective of a person seeking to *resist* same-sex attractions and a gay identity and to abstain from homosexual relationships, a delay in “coming out” would be seen as signifying the *success* of SOCE, not a harm from it. As is noted in one of the “Measures of Harm” studies, even some participants who had persisting same-sex attractions, but who

---

<sup>15</sup> Jones and Yarhouse (2007) did compare results for psychological distress in their sample “against nonpatient norms”—those not in therapy—and “against outpatient mental health norms”—those in therapy for other issues (p. 336; see Tables 9.1 and 9.2, pp. 338–341). Another of the studies, Santero et

al. (2018), also compared their results with data from *other* sources on outcomes for other types of therapy. See my analyses of these studies later in this paper. However, neither of these studies used a formal control group that was recruited as part of *their own* study.

considered their therapy successful because they adopted a lifestyle of chastity, “regard themselves as having reestablished their sexual identities to be defined in some way other than by their homosexual attractions. No data . . . suggest that this is a maladaptive or unsustainable outcome” (Jones and Yarhouse, 2011, pp. 422–423).

- **“Reinforces homophobia”**—Some critics claim SOCE is harmful simply because it reinforces negative attitudes toward homosexuality itself—attitudes sometimes referred to as “homophobia” or “homonegativity.” Often the assertion is that it reinforces “internalized homophobia”—a belief within the client that there is something undesirable about same-sex attractions, which in turn may damage the client’s self-esteem. Sometimes critics claim SOCE is harmful simply because it reinforces “societal homophobia”—the belief by anyone (not just the client) that homosexuality is undesirable. Davison (1978), for example, says that “to assume that people are not being hurt by the prevalent prejudices is . . . naïve. . . . [P]eople are being hurt by the availability of change-of-orientation programs, and these include people who are not themselves seeing therapists” (pp. 171–72). Similarly, Burack (2015) charges, “The ex-gay movement encourages the flourishing of a morality” that fails at “connecting the ideology and public policies they espouse . . . to the forms of harms that befall these same-sex attracted people.” However, she is referring to individuals “damaged by the culture wars” before they even seek therapy—not people “damaged” by SOCE itself (225).

The question of whether any aspect of homosexuality (same-sex attractions, homosexual conduct, or an LGB identity) is

desirable or undesirable, though, is in large part a question of morality, ideology, and personal opinion. Jones and Yarhouse (2007) point out that a different ideological construct results in a completely different evaluation of what is harmful, noting that

anecdotes of harm from the attempt to change must be counterbalanced against counter anecdotes, specifically the type that circulate in ministry circles of individuals who experience despair in the gay community because they do not know that the possibility of an alternative to the gay lifestyle exists. (p. 361)

Jones and Yarhouse therefore assert that, as part of “informed consent,”

clients should also be told of the potential benefits, risks and costs of *not* attempting the intervention; in the case of homosexuality, for example, we do not know what the potential risks would be for conservative religious clients of limiting treatment options to only those approaches that aim to integrate experiences of same-sex attractions into a gay identity. (p. 381)

The idea that SOCE “reinforces homophobia” is essentially an ideological conviction, not an objective harm.

### ***What Does Constitute Harm?***

There are, of course, several things that could legitimately be counted as “harms,” if it could be proved that they are a result of participating in sexual orientation change efforts. Some are clear-cut harms, and some others at least raise legitimate concerns. These include:

- **Depression and anxiety**—Any noticeable deterioration in a person’s mental health as a direct result of a particular intervention could legitimately be labeled harmful. Depression and anxiety are two of the most common manifestations of poor mental health.
- **Other “psychological distress”**—There may be other mental health consequences that do not fit strictly under the label of “depression” or “anxiety” that could still be counted as harms. “Psychological distress” is a broad term intended to capture these possibilities.
- **Suicidal thoughts or actions**—The most dramatic negative mental health result possible is when an individual commits suicide. Any intervention that can be shown to result in higher levels of suicidality—including suicidal thoughts, suicide planning, suicide attempts, and actual completed suicides—would certainly be considered harmful.
- **“Shame”**—Critics of SOCE frequently claim that SOCE not only results in “shame” in clients, but intentionally operates by instilling “shame.” Many SOCE therapists would take issue with this, insisting that clients come *into* therapy with a sense of shame, and one of their first goals is to overcome it (see, e.g., Nicolosi, 2010). If “shame” is defined as the equivalent of “guilt,” some people would suggest it is not really

a harm—just as pain serves the important function of warning about physical harm, guilt serves the important function of warning about moral harm. There are some things of which we *should* be “ashamed.”<sup>16</sup> However, to the extent that “shame” reflects a lack of personal self-esteem, it may be considered a legitimate mental health concern.

- **“Aversion” therapy**—A key tactic used by critics of SOCE is to recount horror stories of clients subjected to what is called “aversion” (or “aversive”) therapy. This is a form of behavioral therapy in which a negative physical stimulus (such as a mild electric shock or nausea-inducing medicine) is applied in connection with homosexual arousal, in an effort to create an “aversion” to homosexual arousal or conduct via the negative association with physical pain or discomfort.<sup>17</sup> Similar methods have been used for other purposes, such as helping people to quit smoking. Throckmorton’s (1998) review of the literature cited five articles on “[a]versive therapies . . . to change sexual orientation” between 1935 and 1974.<sup>18</sup> In their debunking of “myths” about aversion therapy, however, Byrd & Phelan (2011) declare, “Aversion techniques are no longer used to treat unwanted homosexual attractions.”<sup>19</sup> The most recent documented use of *physical* aversion

<sup>16</sup> The article by Burack (2015) offers an explanation of “the conservative Christian interpretation of guilt” (pp. 223–224).

<sup>17</sup> A milder variant of the “aversive” concept is what is called “covert sensitization,” defined by the American Psychological Association as “a behavior therapy technique for reducing an undesired behavior in which the client imagines performing the undesired behavior . . . and then imagines an unpleasant consequence. . . .” (American Psychological Association, 2020). For a comparison of (physically) aversive therapy and covert sensitization, see McConaghy et al. (1981).

<sup>18</sup> Throckmorton (1998) cites an additional four articles on “the use of covert sensitization” published between 1970 and 1976.

<sup>19</sup> This appears to refer to physical aversion techniques, not to “covert sensitization,” which may have persisted longer in some quarters. One of the most recent studies on the “Measures of Harm” list (Santero et al., 2018) includes “covert aversion” as a SOCE technique recalled by 82 of the study’s 125 subjects. However, they also found it the least beneficial of 15 such techniques (Table 3, p. 6). The most recent documented use of *physical* aversion techniques that I have found is forty years ago, in McConaghy (1981).

techniques that I have found is forty years ago, in McConaghy et al. (1981). (Any reports of its more recent use should therefore be greeted with skepticism. See Sprigg, 2018a.) Theoretically, aversion therapies could and should be subjected to the same tests for long-term negative mental health consequences as any other therapy. However, the fact that they involve the application of physical pain or discomfort, and the fact that virtually all SOCE therapists have renounced such techniques, is sufficient reason to consider any use of physical aversion therapy as a “harmful” approach.

With that preliminary framework for how to think about this issue established, let’s now take a look at what the 79 studies in the “Measures of Harm” document actually show.

## Results

### No Harm Mentioned

The first finding is perhaps the most surprising—18 of the 79 studies (23%) do not contain *any* assertion or even discussion of the possibility of “harm” to individual clients resulting from SOCE. This must cast doubt on the credibility of the “Measures of Harm” document right from the start.

The studies that do *not* assert that SOCE causes harm—and therefore should never have been placed on the list—are:

Borowich (2008)  
Burack (2015)  
Davison (1978)  
Drescher (1998)  
Drescher (2009)  
Fetner (2005)  
Fischer & Good (1997)  
Freund (1960)  
Freund (1977a)  
Freund (1977b)

Hill & DiClementi (2003)  
Hoffmann (2012)  
O’Donohue & Plaud (1994)  
Pfaus et al. (2012)  
Ponticelli (1999)  
Reamer (2014)  
Savin-Williams (2016)  
Schrimshaw et al. (2013)

This collection of sources is diverse. The fact that they do not assert that SOCE harms individual clients does not mean they are not critical of the practice.

Drescher, for example, is a prominent SOCE critic, the author of four of the sources on the “Measures of Harm” list. In his 1998 article, however, his strongest charge is that SOCE is unscientific, not that it is harmful; he claims that SOCE therapists “obscure their increasingly fundamentalist religious political agendas behind scientific and pseudo-scientific language” (p. 38). Ironically, Drescher’s charge that some therapists are “preaching dogma and stifling dissent” (p. 19) could be applied to those seeking to ban SOCE, not just to those who practice it.

Several question the effectiveness of SOCE, but without asserting it is harmful. The earliest source on the entire “Measures of Harm” document, Freund (1960), reported, “Hitherto, there has been no proof of the efficacy of any form of treatment as applied to homosexuals” (p. 324). Hill and DiClementi (2003) argue “internalized homophobia” that causes some clients to *seek* SOCE (not that results from it) could cause them to distort their self-reporting for studies that appear to show the effectiveness of SOCE, such as a widely publicized 2003 study by Robert Spitzer (Spitzer, 2003). Reamer’s (2014) book chapter offers 20 pages about ethical and moral challenges, calling SOCE “questionable” and “controversial,” but its most direct critique says, “Social workers who use intervention

approaches for which there is no empirical support violate ethical standards” (p. 242). However, his only suggestion of “harm” relates to Christian social workers who might refuse to treat, refer out, or terminate treatment with LGBT clients—not ones who offer them SOCE (p. 241).

Three of the articles on this list deal with the role of “conditioning” in the development of sexual arousal or behavior. This is the concept behind “aversion therapy,” but none of these articles assert harm to individual clients. O’Donohue & Plaud (1994) give a historical overview of research on “the relationship between conditioning and human sexual behavior” (p. 321), including experiments on homosexuals and pedophiles, but they do not report harms. Although the title of the Hoffmann (2012) paper is “Considering the Role of Conditioning in Sexual Orientation,” the paper itself only includes a single paragraph directly related to SOCE, which concludes that “the effectiveness of these procedures is difficult to assess”—despite the paper’s broader conclusion that “descriptive and some experimental research support a role for experience, and in particular conditioning, in the development of sexual arousal patterns in humans” (p. 67). Pfaus et al. (2012) is a study not of humans but of *rats*, which “describes how experience with sexual reward strengthens the development of sexual behavior and induces sexually-conditioned place and partner preferences in rats” (p. 31). In this startling experiment, some rats were not only conditioned to tolerate, but to actively prefer, sex with partners that smelled like dead bodies. Despite this demonstration in animals of “a high degree of plasticity” (p. 52) and “an extraordinary level of flexibility” in sexual arousal, the authors asserted, “This does not mean that sexual orientation and preferences can be altered once they are established” (p. 55).

Two of these sources focus on media, rather than on therapy or counseling per se. Drescher (2009) discusses “techniques of distorting science in the media.” Only two pages of this twelve-page article are devoted to SOCE, including a paragraph on a widely reported series of ex-gay newspaper ads that led to a *Newsweek* cover story in 1998 (pp. 217–218). Drescher acknowledges, “Political distortions of science can occur on the right and left wings”—but all of his examples are on the right (p. 213). Ironically, however, many of his criticisms could apply directly to distortions of the facts about SOCE by its critics:

[S]ound policy making requires objective scientific data . . . [but] special interest groups often try to distort scientific findings . . . Also troubling is the publicizing of “research” created solely to support political agendas. Such activities raise the troubling question of whether science as we know it can survive politicization . . . [including] contemporary attacks on science in what have come to be known as the “culture wars.” (p. 213)

Drescher even acknowledges conservative criticisms “that mainstream mental health organizations like the two APAs, which for decades have had openly gay, lesbian and bisexual members, have been taken over by ‘gay activists’ within the organization” (p. 223).

Fetner (2005) analyzes the same 1998 “Truth in Love” ad campaign and the response to it from LGBT organizations. However, according to Fetner, the response of those organizations in 1998 to the claim that sexual orientation can change was *not* to claim that efforts to change are harmful, but to re-establish “a symbolic foundation that

understands LGBT people to be an oppressed minority group” p. (84).

At least a third of Burack’s (2015) paper is devoted to “the application of psychoanalytic theory to interpret the deep structure and unconscious meanings of ex-gay ideology” itself (p. 224).

### Sources That Assert Harm, but with No Subjects

More than a third of the sources on the “Measures of Harm” list—28 of 79, or 35%—do assert or suggest that SOCE may be harmful, but feature *no* study subjects. In other words, these are either literature reviews or opinion pieces, but ones that do not involve any direct examination of clients who have undergone SOCE. They have a sample size of *zero*.

Of course, there is a place for literature reviews—such as this one. However, some of these sources barely merit even the label of “literature review.” In fact, four of the sources I have classified in this category *do not cite a single source* that demonstrates harm from SOCE. Those are:

Forstein (2001)  
Haldeman (1994)  
Tozer & McClanahan (1999)  
Wakefield (2003)

Douglas C. Haldeman is one of the most prominent critics of SOCE and author of four of the sources on the “Measures of Harm” list. Even before these four sources, in 1991 Haldeman published a book chapter on “sexual orientation conversion therapy for

gay men and lesbians” (Haldeman, 1991), which represents the earliest use of the term “conversion therapy” that I have yet discovered.<sup>20</sup> Although his 1994 article describes anecdotally several harms that may ensue from SOCE, such as “increased guilt, anxiety, and low self-esteem,” it is significant that he admits a complete absence of data on the topic:

Not one investigator has ever raised the possibility that conversion treatments may harm some participants. . . . The research question, “What is being accomplished by conversion treatments?” may well be replaced by, “What harm has been done in the name of sexual reorientation?” *At present, no data are extant.* (Haldeman, 1994, p. 225; emphasis added)

Tozer & McClanahan (1999) report on a 1997 American Psychological Association resolution that was critical of SOCE, but note, “The resolution addressed the sociopolitical context in which conversion therapies take place rather than targeting specific techniques of psychotherapists,” adding that “it did not explicitly ban reorientation therapies.” Part of the reason is that the chair of the panel that passed the resolution admitted, “Researchers have yet to show conclusively that conversion therapy is indeed harmful” (p. 732).<sup>21</sup>

Forstein (2001) says that an ethical response to “a patient who wants to change

sounding “aversion” therapy. I have only come across two articles in which a practitioner or defender of SOCE uses the term “conversion therapy” in a neutral or favorable way (Throckmorton, 1998; Rosik, 2001).

<sup>21</sup> Tozer & McClanahan cite the October 1997 issue of the *APA Monitor*, p. 15, for the latter quote, but do not give full bibliographic information.

---

<sup>20</sup> I have a theory that Haldeman’s use—and perhaps coining—of the term “conversion therapy” may be the reason why it is the term favored by SOCE critics, even though practitioners virtually never use it. Perhaps the use of the word “conversion” is a subtle way of suggesting that SOCE is essentially a religious undertaking, not a therapeutic one. It could even represent a deliberate effort to conflate all SOCE methods with the similar-

their homosexual orientation” would require “[i]nformed consent that includes . . . what the risks and/or benefits might be, including outcomes which could seriously hinder social, sexual, and psychological functioning,” but also noting “that there are no studies as of yet published in peer-reviewed, scientific, respected journals to provide these data” (p. 177).

Another nine of these sources cite *only one or two sources* that support the charge of harm. Those are:

Bright (2004)  
 Diamond & Rosky (2017)  
 Drescher (2003)  
 Friedman (2003)  
 Gonsiorek (2004)  
 Herek (2003)  
 Lasser & Gottlieb (2004)  
 Miville & Ferguson (2004)  
 Steigerwald & Janson (2003)

Fifteen of the “zero-subject” sources cite three or more sources related to SOCE harm:

Arthur et al. (2014)  
 Beckstead (2012)  
 Cramer et al. (2008)  
 Drescher (2001)  
 Grace (2008)  
 Green (2003)  
 Halpert (2000)  
 Hein & Matthews (2010)  
 Jenkins & Johnston (2004)  
 McGeorge et al. (2015)  
 Morrow & Beckstead (2004)  
 Schreier (1998)  
 Serovich et al. (2008)  
 Silverstein (2003)  
 Walker (2013)

### Sources That Assert or Discuss the Possibility of Harm That Include Reports on Actual SOCE Clients

Only a minority of the sources found on the “Measures of Harm” document—33 of 79, or 42%—include a discussion of harm in the context of studies or case reports on individuals who have undertaken SOCE. However, some of these have sample sizes so small that it would be impossible to draw general conclusions from them. Nine of these articles reported sample sizes of *seven or fewer* SOCE clients. Four of them reported on *only one client*. They were:

Ford (2002)  
 Johnson (2004)  
 Moor (2002)  
 Schneider et al. (2002)

Here are the remainder of these “small-sample” sources, with the number of SOCE clients on which they report:

Dickinson et al. (2012)	7 clients
Green (2017)	2
Haldeman (2001)	4
Haldeman (2004)	3
Haldeman (2012)	2

### Sources with Eight or More Subjects

That leaves a total of 24 sources on the list—only 30%—that discussed harms and examined samples of eight or more subjects. Fewer than half of these (11) featured sample sizes of 50 or more. They are discussed in “The Six Key Studies” (below). Here are the 13 articles that discussed samples of at least eight but less than 50 subjects:

Fjelstrom (2013)  
 Flentje et al. (2013)  
 Flentje et al. (2014)  
 Jacobsen & Wright (2014)  
 Johnston & Jenkins (2006)  
 King et al. (2004)

Krajeski et al. (1981)  
Krajeski (1984)  
Maccio (2010)  
Maccio (2011)  
Moran (2007)  
Smith et al. (2004)  
Tozer & Hayes (2004)

Generally, the larger the sample size of a study, the more reasonable it is to conclude that its findings might be generalized to the larger population the sample is intended to represent (in this case, the population of clients who participate in sexual orientation change efforts).

### **The Six Key Studies (50 or More Subjects)**

The 79 sources on the “Measures of Harm” list represented only *six* studies which discussed harm and included samples of *50 or more* SOCE clients. Because some of those who conducted this research wrote more than one article on the resulting database, there are *eleven* articles in the list of 79 which are based upon these six most significant studies. Here is a summary of the key studies included on the “Measures of Harm” list:

#### ***Dehlin et al. (2015) and Bradshaw et al. (2015)***<sup>22</sup>

**Sample Size:** 1,612 (76% male, 24% female).

**Sample Type:** Web-based survey entitled “Exploration of Experiences of and Resources for Same-Sex-Attracted Latter-day Saints”; respondents had undertaken activities to “understand, cope with, or change” their sexual orientation; data collected from July–September 2011.

**Assertion of Harm:** 37% “of those whose therapy focused on SOCE evaluated

the experience” as “harmful”—21% “moderately harmful” and 16% “severely harmful” (Bradshaw et al. 2015, p. 398.) “The clear evidence . . . is that dutiful long-term psychotherapeutic efforts to change . . . carry significant potential for serious harm. . . .” (Bradshaw et al., 2015, pp. 409–410).

**Discussion:** This study has two major advantages over most in the field:

- It has the largest sample size of any study on the “Measures of Harm” list; and
- It distinguished between different types of sexual orientation change efforts.

However, the sample was not random—it consisted of self-selected internet users. The authors admitted, “Our reliance on convenience sampling limits our ability to generalize our finding to the entire population. . . .” It also targeted *only* people who are (or were once) Mormons.

The study listed nine “SOCE methods:”

- Personal righteousness
- Individual effort
- Church counseling
- Psychotherapy
- Support groups
- Group therapy
- Group retreats
- Psychiatry
- Family therapy

“Personal righteousness” (including “prayer, fasting, scripture study”) and “individual effort” (such as “journaling,” “self-punishment,” and seeking to “date the opposite sex”—Dehlin et al., 2015, 99) hardly qualify as SOCE (and certainly not as “conversion therapy”).<sup>23</sup> The biggest

---

<sup>22</sup> An additional detailed analysis (and critique, from a pro-SOCE perspective) of these studies can be found in Rosik (2014).

<sup>23</sup> Even “church counseling” may carry a different connotation in the LDS context from what it might imply to Protestants or Catholics. Mormons do not employ a professional clergy but are instead led



methodological weakness in this study, however, was that experiences with SOCE were rated on a single scale with “harm” and “effectiveness” at opposite ends. This is conceptually misguided, since harm and effectiveness are two different questions. A particular approach could be *both* “effective” (that is, result in some significant change in sexual orientation) *and* harmful (for example, result in an increase in depression and anxiety). On the other hand, a SOCE could be *neither* “effective” (because it results in no change in sexual orientation) *nor* harmful (because it results in no change to, or even an improvement in, other areas of mental health).

Nevertheless, the authors used a scale of 1–5, asking respondents to identify their experience as:

- 1 = severely harmful
- 2 = moderately harmful
- 3 = not effective
- 4 = moderately effective
- 5 = highly effective

(Dehlin et al., 2015, Table 1, p. 99<sup>24</sup>)

An average rating above 3.0 for any particular method would indicate that for the average participant it was *more effective than harmful*. Despite the authors’ generally negative tone toward SOCE, nearly half of these scores (8 of 17)<sup>25</sup> were above 3.0 (and a ninth was exactly 3.00). A *minority* of the scores showed the method more harmful than

effective. Of the formal methods more commonly referred to as “therapy” or SOCE—psychotherapy, support groups, group therapy, group retreats, psychiatry, and family therapy—8 of 11 ratings were above 3.0, or more effective than harmful (Dehlin et al., 2015, Table 1, p. 99).

When exact percentages for each rating were reported, for a majority of methods (5 of 9), positive answers indicating SOCE was “effective” exceeded negative answers indicating it was “harmful.”<sup>26</sup> No method of SOCE was rated “harmful” by a majority of respondents, and none was rated “severely harmful” by more than 27% (Dehlin et al., 2015, Figure 1, p. 100). In addition to the subjective self-rating, the authors employed some “pre-existing measures assessing psychosocial health” (Dehlin et al., 2015, p. 97). The authors reported that “SOCE participants in this sample showed no differences in quality of life from those who had not engaged in SOCE” (p. 102), and they also found no significant differences in self-esteem between these groups (Table 2, p. 101). This undermines any theory that SOCE would cause lasting damage that leaves people worse off than those who did not undertake SOCE.

A follow-up article (Bradshaw et al., 2015) focused on respondents who said they had undergone psychotherapy.<sup>27</sup> Respondents had been invited to write an open-ended narrative about their experiences. Strikingly, reports of “benefit” from

---

by “laypersons . . . without professional training in theology”—let alone in psychology (Keller, 1992, p. 288).

<sup>24</sup> Confusingly, the ratings were reversed when reported in the second journal article based on this survey, with 1 being “very effective” and 5 being “severely harmful.” See Bradshaw et al. (2015), p. 398.

<sup>25</sup> With nine different methods, and results reported for both sexes, a total of 17 average scores were reported. One method, family therapy, had no

women who pursued sexual orientation change as a goal.

<sup>26</sup> For two of the methods, positive answers were *more than double* the negative ones (Group Retreats, 48% effective to 20% harmful; Support Groups, 41% effective and 20% harmful).

<sup>27</sup> Only a little over half of their respondents (898 out of 1,612, or 56%) reported that they had undergone psychotherapy (Bradshaw et al., 2015, p. 394); but of those, only 367 (330 men and 37 women) reported that “they actually worked on sexual orientation change in therapy” (p. 399).

psychotherapeutic SOCE clearly outnumbered reports of “detriment.” The authors even acknowledge this, stating that “experiences of harm or . . . distress were much less frequent than reports of benefit” (Bradshaw et al., 2015, p. 406). For example:

- 109 indicate that therapy overall was “positive” or “helpful,” with 12 even describing it as “life-saving.” In contrast, only 29 reported that they “felt worse after” therapy.
- 98 respondents said the therapy resulted in “improved self-esteem,” while only 33 said they were “damaged” or found it “harmful.”
- 80 reported that “depression and anxiety” were “decreased” by the therapy, while only seven said they “increased.”
- While four respondents said they had attempted suicide after therapy, *fifteen* respondents said the therapy helped them *avoid* suicide (Bradshaw et al., 2015, Table 5, p. 407).

The data presented in these two articles simply do *not* support the authors’ sweeping conclusion that there is “clear evidence” of a “significant potential for serious harm” from SOCE (Bradshaw et al., 2015, pp. 409–410), especially when psychotherapy is the method utilized.

### **Weiss et al. (2010)**

**Sample Size:** 338 (267 “ex-gay,” 79% male; 71 “ex-ex-gay,” 82% male—Table 1, p. 297).

**Sample Type:** “Participants in this study were individuals who posted to Internet message boards related to changing one’s sexual orientation from gay to straight. . . . This search resulted in three message boards for ex-gays and two for ex-ex-gays” (p. 294). “Five coders were involved. . . . [W]e read approximately 1,000 posts and created codes

for any idea or expression that seemed relevant . . . [then] we identified core themes and grouped codes according to these larger thematic units . . .” (p. 296).

**Assertion of Harm:** “In both samples, statements of negative feelings during the [‘conversion therapy’] process were far more common than those of positive feelings” (p. 305). “Participants in both studies reported depression, suicidal ideation, and deficits in self-esteem. Socially, both participant groups reported loneliness, social isolation, and lack of social supports while beginning or ending conversion therapy” (p. 312).

**Discussion:** By the authors’ own admission, “This study used *qualitative* methodology,” (p. 291, emphasis added), not *quantitative* methodology, suggesting it does not really belong on a list of studies with “*measures* of harm.” With any study using “convenience samples” (that is, self-selected volunteers), there is no way of knowing whether the participants are representative of the larger population (in this case, of people who have undertaken SOCE). The authors argue that their methodology (of “online ‘surveillance,’” p. 295) avoids the risk of participants volunteering for the study in order to promote a particular viewpoint (“response bias,” p. 293). However, there is also no way of knowing whether people who voluntarily choose to post on a publicly available message board are representative of the larger population, and this methodology injects the possibility of bias not only on the part of the participants themselves, but of those “coding” their comments.

In addition, it is worth noting that most of those posting on the “ex-gay” message boards were people still in the process of seeking change, while those on the “ex-ex-gay” message boards were, by definition, people for whom SOCE was a *past* event. This creates an apples-to-oranges comparison between *current* SOCE clients pursuing change and *past* SOCE clients who

had since abandoned any effort to change any aspects of their homosexual orientation. The study omits the entire category of SOCE “successes” who may have *completed* the change process and now do *not* embrace a “gay” identity.

Even the title of this study indicates that it is about “ex-gay and ex-ex-gay experiences” (emphasis added) in general, not about specific facilitated “change efforts” or “therapy” in particular. Although critics routinely refer to all SOCE as “conversion therapy,” it is striking how few of the subjects in this study reported having undertaken actual “therapy.” On the ex-gay message boards, out of 57 messages regarding “strategies tried,” less than a third involved “therapy” (16 religious, 2 secular). That is smaller than the number who participated in a religious “support group” (19), and about the same as those who used what we might call informal religious methods (“prayer,” “accountability partner,” “reading ex-gay books,” or “confession”—16 total; Table 2, p. 298). On the ex-ex-gay message boards, only four out of fifteen reported “strategies tried” involved “therapy”—fewer than the number (5) who saw “marriage” as a “strategy” (Table 3, p. 300).<sup>28</sup>

Although it is true that comments which were generally negative in tone exceeded those generally positive in tone on both message boards (according to the coders), it is still striking how few reported some of the “harms” usually raised in critiques of SOCE. For example, on the ex-gay message boards, out of 540 coded comments, only 18 indicated experiences of “depression” (13 “explicit” and 5 “implicit”), and 15 indicated some form of suicidality (13 “active” and 2 “passive”—Table 2, p. 299). On the ex-ex-gay message boards, out of 105 coded

comments, only 4 indicated “depression” and only 2 indicated “suicidal ideation or attempt” (Table 3, p. 300). Notably, the authors indicated:

The majority of respondents that reported being suicidal stated that it was the prospect of being gay . . . that led them to thoughts of suicide, rather than the struggle of trying not to be gay. (p. 306)

Since “ex-ex-gay message boards” might be expected to attract a disproportionate number of people asserting harm or expressing bitterness about the change process, it was actually surprising how positive some of their comments were. They certainly undermine, rather than support, the claim that SOCE generally causes lasting damage. As the authors report:

Most of the posters to the ex-ex-gay boards report currently being in overall good psychological health. The most common statements . . . were that they valued their journey through the process. . . . By and large, ex-ex-gay posters view their experience in the ex-gay movement as having yielded positive results in the long run. . . . (pp. 308–309)

**Beckstead (2001); Beckstead (2003); Beckstead & Morrow (2004)**

**Sample Size:** 50 (45 men, 5 women).

**Sample Type:** Convenience sample of people “who had undergone therapy to change their sexual orientation” from various sources in Utah and in Mormon circles, as well as “snowball sampling” (referrals from other participants) between 1997 and 2001.

---

<sup>28</sup> While some participants may enter SOCE with marriage to an opposite-sex partner as an ultimate goal, I am not aware of any therapist or counselor who would recommend it as a *strategy* to accomplish

change, and most would strongly caution *against* any rush toward marriage by an individual who has struggled with same-sex attractions.

All “had experienced a Mormon religious upbringing or conversion.” Forty-two chose to be interviewed; “Of these, 20 (2 women, 18 men) reported only positive outcomes and were classified as ‘proponents,’ and 22 (2 women, 20 men) reported primarily negative outcomes and were classified as ‘opponents.’ . . . In addition, 8 other individuals (1 woman, 7 men) who had also undergone conversion therapy” participated in “a focus group discussion” (Beckstead & Morrow, 2004, pp. 656–657).

**Assertion of Harm:** “Most opponent participants believed . . . that ‘conversion therapy damages each aspect of an individual.’ . . . Overall, 4 proponent and 4 opponent participants attempted suicide after counseling . . .” (Beckstead and Morrow, 2004, p. 671).

**Discussion:** As with Weiss et al. (2010), Beckstead and Morrow (2004) acknowledge, “Qualitative methods were selected for this investigation,” methods “that sought to understand the subjective meanings participants attributed to their experiences” (p. 654). Methods that are “qualitative” (rather than “quantitative”) can produce anecdotes; but they cannot, by definition, produce “measures” of harm. Furthermore, the authors state explicitly, “The results of this or any qualitative study are not intended to generalize to the larger population of individuals who have undergone conversion therapies” (p. 683.).

In Beckstead (2001), the potential for harm is not even listed as one of the two key issues “surrounding the ethics of sexual reorientation therapy”; instead, client “self-determination” and the therapy’s “efficacy” are cited. In Beckstead’s writings in general there are extensive discussions of the potential for harm, but most of the “harms” asserted fall in the categories that I have mentioned as *not* being the type that might (if sufficiently prevalent and severe) justify legal restrictions on pursuing the goal of

sexual orientation change in therapy. For example, Beckstead & Morrow (2004) cite “lost loves and friendships, wasted time and resources, a slowing down of the ‘coming-out’ process,” and “decreased capacity for same-sex intimacy” (p. 671); and Beckstead (2003) claimed that SOCE reinforces “negative stereotypes of the lives of lesbian, bisexual, and gay individuals” (p. 423).

However, Beckstead & Morrow (2004) admit, “Both proponent and opponent participants described positive experiences with conversion therapy, which was an unexpected finding . . .” (p. 668). Yet another “unexpected finding was that several opponent participants expressed a need for the option of conversion therapy because as they explained, it gave them the space to explore being an ‘ex-gay’ as they met others like themselves” (p. 673).

Beckstead and Morrow (2004) acknowledge that “proponent participants . . . reported only conversion therapy benefits, no therapeutic harms, and heterosexual functioning” (pp. 684–685). A separate article (Beckstead, 2001) focuses entirely on the views of SOCE “proponents.” It notes that SOCE therapy “seemed to develop for participants a new sense of belonging, self-efficacy, and acceptance” (p. 101), and says, “Participants referred to this increased self-understanding and self-acceptance as finding ‘wholeness’ and congruence” (pp. 102–103).

Beckstead and Morrow (2004) say that “it is important to value the successes made by proponent participants” (p. 686) and that “we must accept that participants’ self-identifications and constructed perspectives are valid for them . . .” (p. 685). Although they ultimately “denounce” SOCE—asserting that its benefits can be obtained by other means (p. 686)—they are more respectful than most SOCE critics of the fact that for many clients, “their sexual identities [are] peripheral to their religious identities” (p. 663), and “not all same-sex-attracted

individuals are able to enter into or benefit from . . . therapy that focuses solely on identifying as LGB” (p. 686).

*Santero et al. (2018)*<sup>29</sup>

**Sample Size:** 125 (all male).

**Sample Type:** Participants recruited from “[e]x-gay ministry groups and affiliated private therapists throughout the United States,” surveyed between January and February 2011 (p. 3). A large majority (97%) had undergone professional therapy, but most (86%) had also participated in “less formal” methods (p. 4). The sample was highly religious, with 98.6% having an “[a]ctive belief system” and 89% identifying themselves as some type of Christian (p. 3). Religious reasons were the most common reason cited (by 64%) for entering SOCE (p. 4).

**Assertion of Harm:** “The techniques that participants rated as the most harmful to SOCE overall (all responses combined) were ‘going to the gym’ (16 percent), ‘imagining getting AIDS’ (used as ‘covert aversion’ 13.6 percent), ‘stopping homosexual thoughts’ (12.8 percent), and ‘abstaining from

masturbation’ (10.4 percent)” (p. 9). “Only one participant reported extreme negative effects, which were on suicidality and self-harm” (p. 11).

**Discussion:** Among the hypotheses tested by Santero et al. were that SOCE “produces more harm than help” and that it is “more harmful than therapies on completely different unwanted problems” (p. 3). However, the authors found that SOCE was overwhelmingly more helpful than harmful to those they surveyed. Participants experienced “moderate-to-marked decreases in suicidality, depression, substance abuse, and increases in social functioning and self-esteem. Almost all harmful effects were none to slight” (p. 1).

The authors asked respondents to rate seventeen therapy “techniques” by endorsing “one response only from [the] entire [9-point] harm/help range” (p. 6). The weakness of using such a single scale has already been noted with respect to the Dehlin et al. (2015) and Bradshaw et al. (2015) studies. “Overall, the hypothesis that any technique was predominantly harmful was strongly rejected,

---

<sup>29</sup> The Santero et al. study passed peer review and was published in a peer-reviewed journal, *The Linacre Quarterly* (the official journal of the Catholic Medical Association), in 2018. However, less than a year later, the journal formally retracted the study due to what they called “unresolved statistical differences,” asserting that “a statistical review of the paper, which was recommended during peer review, had not been conducted.” When the editor commissioned such a review “after receiving questions about the article,” the review identified “concerns regarding the methodology,” such as this: “No common intervention was given to participants that would allow for a valid conclusion to be drawn.” Specifically, the editor (or the “statistical reviewer”) asserted that “the paper did not clearly address whether all respondents were treated according to the same (or similar) protocols and for the same periods of time, and/or by therapists of like or similar training and expertise.” This standard, however, is one that virtually none of the “Peer-Reviewed Journal Articles” on the “Measures of Harm” list would be

able to meet. (Compare, for example, the nine widely varying techniques studied by Dehlin et al., 2015, as noted above.) The authors responded, “The only uniformity needed and employed, was SOCE and therapeutic involvement.” The editor did not indicate that the authors had in any way mis-stated or misrepresented their data or statistical analyses in the published paper, noting explicitly “that the retraction is not based on any action taken by the authors but only the statistical concerns outlined above.” Nevertheless, she stood by the retraction. See: Retraction notice: Effects of therapy on religious men who have unwanted same-sex attraction (2020). Co-author Neil Whitehead has given a further detailed defense of the study and its statistical methods (Whitehead, 2019). In 2021, a completely new and original peer-reviewed analysis of the same data set was published, and the authors “found pursuit of SOCE to be associated with enhanced psychological well-being for a large majority of participants, with negative effects being reported by less than 1 in 20 consumers” (Sullins et al., 2021, p. 15).

and effect sizes . . . were all large” (Santero et al., 2018, p. 9).

With respect to six different “mental health issues,” however, “respondents were asked to give both positive and negative experiences” (p. 14). In this analysis, “Positive effects on self-esteem were all marked or extreme, and the three respondents with initial suicidality all experienced an extreme beneficial effect” (p. 9). “Participants reported improvements (with large effect sizes) in self-esteem and social functioning, and similarly decreases in suicidality, substance abuse, depression, and self-harm. Before therapy, they had experienced an average of three of these problems” (p. 12). Therefore, “The hypotheses that harm predominates is rejected strongly because calculated probabilities are extremely low” (p. 10). “Most importantly, the overwhelming majority—70 percent of the participants—claimed only beneficial effects from the therapy” (p. 14).

Santero et al. were among only a few authors on the “Measures of Harm” list (together with Jones and Yarhouse, 2007 and 2011) who compared the potential benefits and harms of SOCE with those of other types of therapy. “The study . . . had a similar harmfulness rate compared to general psychotherapy. The percentage of patients leaving treatment worse off than when entering is 5–10 percent. . . . The current study had a similar rate (12 percent) for depression. . . . In the present study, increased suicidality was 8.9 percent, but intensity was slight, and other unwanted problems were less than 5 percent” (pp. 13–14). Therefore, note the authors, “This therapy is not really exceptional but should be considered in the ranks of the conventional . . .” (p. 15).

*Shidlo and Schroeder (2002); Schroeder and Shidlo (2002)*

**Sample Size:** 202 (90% male, 10% female).

**Sample Type:** Convenience sample recruited by various means including “gay and lesbian Web sites and E-mail lists,” “newspaper advertisements in the gay and lesbian and the nongay press,” and “direct mailings to gay and ex-gay organizations and to a national professional association of conversion therapists” (Shidlo and Schroeder, 2002, p. 251).

**Assertion of Harm:** “One group (155 individuals)” who now identify as gay “experienced significant long-term damage from the conversion therapy. . . . Many consumers of conversion therapies reported to us that they were plagued by serious psychological and interpersonal problems during the therapy and after its termination” (Shidlo and Schroeder, 2002, p. 254). “These negative effects include depression, poor self-esteem, and difficulties with intimate relationships” (Schroeder and Shidlo, 2002, p. 161).

**Discussion:** Even though it is now nearly two decades old, Shidlo & Schroeder (2002) is still probably the most widely cited article in support of the proposition that SOCE is harmful. (A companion article, Schroeder & Shidlo, 2002, focuses primarily on ethical issues involved in the actions of SOCE therapists, rather than on outcomes for clients.) That is probably because at the time it was published, “No large-scale study ha[d] been made with the specific goal of looking at the harmfulness of conversion therapies” (Shidlo & Schroeder, 2002, p. 249).

Initial recruiting for the study was heavily biased. Advertisements bore the headline, “Homophobic Therapies: Documenting the Damage,” and openly declared the conclusion before even undertaking the study, saying that the authors “intend to use the results to inform the public about the

often harmful effects of such therapies” (Shidlo & Schroeder, 2002, Appendix A, p. 259). Nevertheless, “After the first 20 interviews, we discovered that some participants reported having been helped as well as harmed” (p. 251). Therefore, they changed the project’s name to “Changing Sexual Orientation: Does Counseling Work?” and declared more neutrally, “We want to know how it affected you” (Appendix B, p. 259).

As with several other key studies, the authors acknowledge that the “structured interviews” they used (Shidlo & Schroeder, 2002, p. 250) were a form of “qualitative analysis” (p. 251). They also admit that their “open-ended question” about harm (“Do you feel that this counseling harmed you or had a negative effect on you?”) “was not a quantitative measure. . . .” They then followed up with “a checklist of symptom areas . . . developed in our pilot interviews” (listing 13, from “self-blame for not trying hard enough to change” to “alcohol and substance abuse”).

Yet somewhat surprisingly, Shidlo and Schroeder declared, “We do not report here on the frequency of responses to these items . . . ,” admitting that their methodological choices “came at the expense of sensitivity, reliability, and content and construct validity” and even that participant reports may not be an “accurate recollection. . . . Our results, therefore, focus on the meanings of harm attributed by clients, and the accuracy of these attributions remains to be determined . . .” (p. 254).

The one finding on which Shidlo and Schroeder did report specific data was suicide attempts: “Twenty-five participants

had a history of suicide attempts before conversion therapy, 23 during conversion therapy, and 11 after conversion therapy” (Shidlo & Schroeder, 2002, p. 254). Since this suggests a rate of suicidality less than half as high after therapy as it was before, it is hard to see how this provides support for the theory that such therapy is harmful. The opposite would appear to be the case.<sup>30</sup>

Some of the specific “harms” reported by gay-identified participants are things which would be considered “successes” by individuals still pursuing SOCE. For example, under the category of “Intrusive imagery and sexual dysfunction,” one male reported, “In a sex act, I can imagine . . . my wife . . . and I find that disturbing. . . . The first time I attempted to have anal intercourse with my lover, I couldn’t. . . .” The authors also cite “loss of same-sex partners or missed opportunities to commit to long-term relationships with same-sex persons” as “harms” (Shidlo & Schroeder, 2002, p. 255).

Given the bias with which Ariel Shidlo and Michael Schroeder undertook their study, it is remarkable that 23% of their participants were people who did *not* report being significantly harmed by SOCE, including 26 (13%) who considered their therapy to have been “successful” and 21 (10%) who were now gay-identified but “reported few or no long-term damaging effects and actually felt strengthened by their experience of having tried to change” (Shidlo & Schroeder, 2002, pp. 253–254). From my own analysis of Shidlo and Schroeder’s reported ratings for specific interventions, it appears that although 85% of interventions were reported to have been harmful at least to *some* degree, a remarkable 61% of

---

<sup>30</sup> Warren Throckmorton—a Christian psychologist who was once a defender of SOCE but has become increasingly critical of it (Ward, 2017)—has argued that the high rates of suicide attempts reported *during* SOCE therapy could be taken to suggest that the therapy is harmful, and the lower

rates after SOCE could suggest it is *quitting* therapy that is beneficial. However, Throckmorton acknowledges that “one cannot make any conclusive statements about reorientation and suicide risk from Shidlo and Schroeder’s data” (Throckmorton, 2011).

interventions were also reported to have been *helpful* to some degree (p. 257).

In the end, though, Shidlo & Schroeder's often-cited study cannot bear the weight that has been placed upon it by critics of SOCE—as their own words demonstrate:

*The data presented in this article do not provide information on the incidence and the prevalence of failure, success, harm, help, or ethical violations in conversion therapy.* (Shidlo & Schroeder, 2002, p. 250; emphasis in the original)

### **Jones and Yarhouse (2007, 2011)**

**Sample Size:** 98 (72 men, 26 women) at the beginning of the study (Time 1, or T1); 73 at T3; 63 at T6, “a 6-7-year retention rate of 64%” (Jones and Yarhouse, 2011, p. 410).

**Sample Type:** Participants within the first three years of pursuing “religiously mediated sexual orientation change” were recruited from sixteen different ministries affiliated with the umbrella organization Exodus International.<sup>31</sup>

**Assertion of Harm:** Data for one small subset of their sample, those who abandoned the change effort early, “would appear to indicate that the Time 1 dropouts were considerably distressed. . . . Those opposed to attempts to change sexual orientation might well argue that this is the evidence of harm that they anticipated; it would appear that the change process produced significant distress and was fruitless for these individuals” (Jones and Yarhouse, 2011, p. 358).

**Discussion:** Jones and Yarhouse first reported their findings in a detailed, 414-page book in 2007, then more succinctly but with

added longitudinal data in a peer-reviewed journal article in 2011. They sought to meet several standards for a strong research study, which they said should:

- “be *longitudinal*, following participants over time”;
- “be *prospective*, starting with participants who are initiating the change process”;
- “examine the experience of a *representative sample*”;
- “gather data . . . with the best existing *standard measures* . . . of sexual orientation and other variables;” and
- “examine a *large sample*” (Jones and Yarhouse, 2007, pp. 106–107).

They also note that many of these criteria overlapped with those recommended by the American Psychological Association (APA Task Force on Appropriate Therapeutic Responses to Sexual Orientation, 2009, p. 6) for further research in this field (Jones & Yarhouse, 2011, p. 406).

The authors therefore seem fully justified in declaring, “This study is the best designed and implemented study to date on religiously mediated change of sexual orientation,” and in adding, “The study, although not above criticism, is significantly stronger than any other existing study” (Jones & Yarhouse, 2007, p. 143). Rather than a “qualitative” exploration of the SOCE experience, as in so many other studies, Jones and Yarhouse used a standardized tool:

Psychological distress was measured by the 90-item SCL-90-R [Symptom

---

<sup>31</sup> At one time, Exodus International was the leading umbrella organization of Christian ex-gay ministries. However, during the period from 2007 to 2013, the president of Exodus, Alan Chambers, began publicly moving away from the belief that “change is possible” with respect to sexual

orientation. This led many member ministries to resign from Exodus and form a new umbrella organization, Restored Hope Network (<https://www.restoredhopenetwork.org/>), and Exodus International was disbanded in 2013. For an account of these events, see Feldmann (2013).



Check List-90-Revised<sup>32</sup>] . . . a measure designed for use in research and clinical settings. . . . We focused on the SCL-90-R's three global indices of the degree of respondent distress: . . .

- the number of symptoms and intensity of distress; . . .
- the intensity of distress symptoms experienced; and . . .
- the number of discrete psychological symptoms regardless of intensity (Jones & Yarhouse, 2011, p. 412, bullet points added).

The authors report,

Our analysis yielded no support for the hypothesis that our participant's scores . . . would show significant movement toward worsened psychological functioning as a result of [SOCE]. . . .

[T]he one consistently statistically significant shift was the shift in the Positive Symptom Distress Index in a direction of *less distress*. In other words, . . . participants reported that their intensity of distress symptoms changed for *the better* to a statistically significant degree. . . . (Jones and Yarhouse, 2007, pp. 370–371)

Jones and Yarhouse (2007) also sought to analyze the spiritual well-being of their participants using the 20-question Spiritual Well-Being Scale (SWBS), as well a 38-item Faith Maturity Scale (FMS). With respect to the SWBS, “*every* reported mean difference . . . indicat[ed] an improvement (however modest) in spiritual, religious, and existential well-being. A number of these changes were statistically significant” (p. 348). With

respect to the FMS, there were few changes over time, but “there is no evidence . . . that involvement in the change process caused a decline in faith maturity” (p. 352). In summary, “If involvement in [SOCE] is supposed to be detrimental to the spiritual well-being of the participants . . . , we find no evidence of it in this population” (p. 349).

The bottom line is that the authors found

little evidence that involvement in the . . . change process was harmful to participants in this study. Taken together, these findings would appear to contradict the commonly expressed view of the mental health establishment . . . that the attempt to change is highly likely to produce harm for those who make such an attempt. (Jones & Yarhouse, 2007, p. 387)

## Conclusion

As noted above, several of the earlier journal articles and sources cited in the “Measures of Harm” list not only did not provide “measures of harm” from SOCE, but they included specific acknowledgment that no scientific evidence of such harm had been discovered (Haldeman, 1994, p. 225; Tozer & McClanahan, 1999, p. 732; Forstein, 2001, p. 177). A turning point appeared to come with the publication of Shidlo & Schroeder’s 2002 study, documenting harms reported by some of their sample of 202 former SOCE participants. As noted above, however, these authors conceded that they used “qualitative data” and “qualitative methods” (250), and thus could not provide “a quantitative measure” of harm (254). Their own caveat could not have been more clear:

---

<sup>32</sup> “The SCL-90-R is a ninety-item self-report inventory . . .” (Jones and Yarhouse, 2007, p. 333).

*The data presented in this article do not provide information on the incidence and the prevalence of failure, success, harm, help, or ethical violations in conversion therapy.* (Shidlo & Schroeder, 2002, p. 250; emphasis in the original)

Despite this rather sweeping acknowledgment of their study's severe limitations, Shidlo & Schroeder (2002) are often cited as the definitive source proving the harmfulness of SOCE.<sup>33</sup>

The other most frequently cited source in support of the belief that SOCE is harmful is a 2009 Task Force Report that was published by the American Psychological Association. After conducting their own "systematic review of the peer-reviewed journal literature" on SOCE, they concluded that such efforts "involve some risk of harm" (APA Task Force on Appropriate Therapeutic Responses to Sexual Orientation, 2009, p. v). However, they found the *level* of risk impossible to quantify:

We conclude that there is a dearth of scientifically sound research on the safety of SOCE. Early and recent research studies provide no clear indication of the prevalence of harmful outcomes among people who have undergone efforts to change their sexual orientation or the frequency of occurrence of harm because no study to date of adequate scientific rigor has been explicitly designed to do so. Thus, we cannot conclude how likely it is that harm will occur from SOCE. (APA Task Force on Appropriate Therapeutic Responses to Sexual Orientation, 2009, p. 42)

Nevertheless, as with Shidlo and Schroeder's study, the Task Force's rather modest assertion that change efforts "involve some risk of harm" has been inflated in the subsequent re-telling. The California Legislature's findings in SB 1172, the nation's first therapy ban, said, "The task force concluded that sexual orientation change efforts can pose *critical health risks* to lesbian, gay, and bisexual people" [emphasis added] (*Sexual Orientation Change Efforts*, 2012)—although the term "critical health risks" appears nowhere in the Task Force Report, which never applied the term "critical" at all to the potential "risk of harm" it identified. (In fact, in their effort to be comprehensive and to communicate accurately about what they did and did not find, the APA Task Force Report made a number of concessions about SOCE that seriously undermine the case for placing legal restrictions upon it (see Sprigg, 2018b).

Exaggerations of what the scientific evidence shows even reached the White House, under former President Barack Obama. In response to a petition, Obama Senior Advisor Valerie Jarrett in 2015 endorsed efforts to prohibit SOCE, claiming, "The *overwhelming scientific evidence* demonstrates that conversion therapy . . . can cause *substantial harm*" [emphasis added] (Jarrett, 2015). It is odd that a White House advisor could reach such a sweeping conclusion, when the APA's own Task Force had stated that "recent studies do not provide valid causal evidence of . . . [SOCE] harm" (APA Task Force on Appropriate Therapeutic Responses to Sexual Orientation, 2009).

Most of the 79 studies on the "Measures of Harm" list suffer from significant methodological weaknesses. Several are explicitly "qualitative" rather than

---

<sup>33</sup> For example, one 2019 article flatly declared, "The evidence actually shows that conversion therapy is harmful to those who undergo

treatment"—citing only Shidlo and Schroeder (2002). See Romero (2019), 213.

quantitative, which means by definition that they cannot provide “measures” of harm. The two strongest studies methodologically (Jones & Yarhouse, 2007 and 2011; Santero et al., 2018) show the most positive outcomes and the fewest reports of harm. While these 79 studies do provide anecdotal evidence that *some* SOCE clients *report* the experience was harmful, they do not provide scientific proof that SOCE is more harmful than other forms of therapy, more harmful than other courses of action for those with SSA, or more likely to be harmful than helpful for the average client.

If the alleged “overwhelming scientific evidence” of “critical health risks” caused by SOCE cannot be found in the 79 studies on the “Measures of Harm” list—and it cannot—then it is questionable whether it can be found anywhere.

## References

*Note: References marked with an asterisk were included in the list of 79 sources labeled, “Peer-Reviewed Journal Articles and Academic Books on ‘Conversion Therapy’ Outcomes That Include Measures of Harm.” Those marked with a single asterisk (\*) were read in full by the author; those marked with a double asterisk (\*\*) were analyzed with a keyword search (see Appendix).*

American Psychological Association. (2020). *APA Dictionary of Psychology*. Retrieved July 19, 2021, from <https://dictionary.apa.org/covert-sensitization>

APA Task Force on Appropriate Therapeutic Responses to Sexual Orientation (2009, August). *Report of the Task Force on Appropriate Therapeutic Responses to Sexual Orientation*. American Psychological

- Association. <https://www.apa.org/pi/lgbt/resources/therapeutic-response.pdf>
- \*\*Arthur, E., McGill, D., & Essary, E. H. (2014, February). Playing it straight: Framing strategies among reparative therapists. *Sociological Inquiry*, 84(1), 16–41. <https://doi.org/10.1111/soin.12026>
- Bayer, R. (1987). *Homosexuality and American Psychiatry: The Politics of Diagnosis*. Princeton University Press.
- \*Beckstead, A. L. (2002). Cures versus choices: Agendas in sexual reorientation therapy. *Journal of Gay & Lesbian Psychotherapy*, 5(3–4), 87–115. [https://doi.org/10.1300/J236v05n03\\_07](https://doi.org/10.1300/J236v05n03_07)
- \*Beckstead, A. L. (2003, October). Understanding the self-reports of reparative therapy “successes.” In Peer Commentaries on Spitzer, *Archives of Sexual Behavior*, 32(5), 421–423. <https://doi.org/10.1023/A:1025699511081>
- \*\*Beckstead, A. L. (2012, February). Can we change sexual orientation? *Archives of Sexual Behavior*, 41(1), 121–134. <https://doi.org/10.1007/s10508-012-9922-x>
- \*Beckstead, A. L., & Morrow, S. L. (2004, September). Mormon clients’ experiences of conversion therapy: The need for a new treatment approach. *The Counseling Psychologist*, 32(5), 651–690. <https://doi.org/10.1177/0011000004267555>
- Black, S. H. (2017). The complete First Stone Ministries effectiveness survey report. Redemption Press. Available for order online at: <https://www.freedomrealized.org/first-stone-ministries-effectiveness-survey-report>
- \*Borowich, A. E. (2008). Failed reparative therapy of Orthodox Jewish homosexuals. *Journal of Gay and Lesbian Mental Health*, 12(3), 167–177.

- <https://doi.org/10.1080/19359700802111072>
- \*\*Bradshaw, K., Dehlin, J. P., Crowell, K. A., Galliher, R. V., & Bradshaw, W. S. (2015). Sexual orientation change efforts through psychotherapy for LGBTQ individuals affiliated with the Church of Jesus Christ of Latter-day Saints. *Journal of Sex & Marital Therapy, 41*(4), 391–412. <https://doi.org/10.1080/0092623X.2014.915907>
- \*Bright, C. (2004, December). Deconstructing reparative therapy: An examination of the processes involved when attempting to change sexual orientation. *Clinical Social Work Journal, 32*(4), 471–481. <https://doi.org/10.1007/s10615-004-0543-2>
- \*Burack, C. (2015, September). From heterosexuality to holiness: Psychoanalysis and ex-gay ministries. *Journal for the Psychoanalysis of Culture and Society, 20*(3), 220–227. <https://doi.org/10.1057/pcs.2015.25>
- Byrd, A. D. & Phelan, J. E. (2011, May 19). Facts and myths on early aversion techniques in the treatment of unwanted homosexual attractions. NARTH. [https://www.academia.edu/34975578/Facts\\_and\\_Myths\\_on\\_Early\\_Aversion\\_Techniques\\_in\\_the\\_Treatment\\_of\\_Unwanted\\_Homosexual\\_Attractions\\_i](https://www.academia.edu/34975578/Facts_and_Myths_on_Early_Aversion_Techniques_in_the_Treatment_of_Unwanted_Homosexual_Attractions_i)
- Carroll, A. E., & Frakt, A. (2015, February 2). How to measure a medical treatment's potential for harm. *The New York Times*. <https://www.nytimes.com/2015/02/03/upshot/how-to-measure-a-medical-treatments-potential-for-harm.html>
- Complaint for Action to Stop False, Deceptive Advertising and Other Business Practices. (2016, February 24). *Human Rights Campaign, National Center for Lesbian Rights, and Southern Poverty Law Center v. People Can Change*. (U.S. Federal Trade Commission). [https://assets2.hrc.org/files/assets/resources/FTC-ConversionTherapy-Complaint-Final.pdf?\\_ga=2.103998848.1403470259.1601477362-480898838.1600961003](https://assets2.hrc.org/files/assets/resources/FTC-ConversionTherapy-Complaint-Final.pdf?_ga=2.103998848.1403470259.1601477362-480898838.1600961003)
- \*\*Cramer, R. J., Golom, F. D., LoPresto, C. T., & Kirkley, S. M. (2008). Weighing the evidence: Empirical assessment and ethical implications of conversion therapy. *Ethics & Behavior, 18*(1), 93–114 <https://doi.org/10.1080/10508420701713014>
- \*Davison, G. C. (1978, February). Not can but ought: The treatment of homosexuality. *Journal of Consulting and Clinical Psychology, 46*(1), 170–172. <https://doi.org/10.1037/0022-006X.46.1.170>
- \*Dehlin, J. P., Galliher, R. V., Bradshaw, W. S., Hyde, D. C. & Crowell, K. A. (2015). Sexual orientation change efforts among current or former LDS Church members. *Journal of Counseling Psychology 62*(2), 95–105. <https://doi.org/10.1037/cou0000011>
- \*\*Diamond, L. M., & Rosky, C. J. (2016). Scrutinizing immutability: Research on sexual orientation and U.S. legal advocacy for sexual minorities. *The Journal of Sex Research, 53*(4–5), 363–391. <https://doi.org/10.1080/00224499.2016.1139665>
- \*\*Dickinson, T., Cook, M., Playle, J., Hallett, C. (2012, May). “Queer” treatments: Giving a voice to former patients who received treatments for their “sexual deviations.” *Journal of Clinical Nursing, 21*(9–10), 1345–1354. <https://doi.org/10.1111/j.1365-2702.2011.03965.x>
- Dickson, N., van Roode, T., Cameron, C., & Paul, C. (2013, July). Stability and change in same-sex attraction, experience, and identity by sex and age in a New Zealand birth cohort. *Archives*

- of *Sexual Behavior* 42(5), 753–763.  
<https://doi.org/10.1007/s10508-012-0063-z>
- Doyle, C. (2019). *The War on Psychotherapy: When Sexual Politics, Gender Ideology, and Mental Health Collide*. Institute for Healthy Families.
- \*Drescher, J. (1998). I’m your handyman: A history of reparative therapies. *Journal of Homosexuality*, 36(1), 19–42.  
[https://doi.org/10.1300/J082v36n01\\_02](https://doi.org/10.1300/J082v36n01_02)
- \*Drescher, J. (2002). Ethical concerns raised when patients seek to change same-sex attractions. *Journal of Gay & Lesbian Psychotherapy*, 5(3–4), 181–210.  
[https://doi.org/10.1300/J236v05n03\\_11](https://doi.org/10.1300/J236v05n03_11)
- \*Drescher, J. (2003, October). The Spitzer study and the culture wars. In Peer Commentaries on Spitzer, *Archives of Sexual Behavior*, 32(5), 431–432.  
<https://doi.org/10.1023/A:1025699511081>
- \*Drescher, J. (2009). When politics distort science: What mental health professionals can do. *Journal of Gay & Lesbian Mental Health*, 13(3), 213–226.  
<https://doi.org/10.1080/19359700902964222>
- Feldmann, L. (2013, June 20). Gay rights bombshell: Why key “gay conversion” group is closing. *Christian Science Monitor*. <https://www.csmonitor.com/USA/Politics/DC-Decoder/2013/0620/Gay-rights-bombshell-Why-key-gay-conversion-group-is-closing>
- \*Fetner, T. (2005). Ex-gay rhetoric and the politics of sexuality: The Christian anti-gay/pro-family movement’s “Truth in Love” ad campaign. *Journal of Homosexuality*, 50(1): 71–95.  
[https://doi.org/10.1300/J082v50n01\\_04](https://doi.org/10.1300/J082v50n01_04)
- \*Fischer, A. R., & Good, G. E. (1997, Summer). Men and psychotherapy: An investigation of alexithymia, intimacy, and masculine gender roles. *Psychotherapy: Theory, Research, Practice, Training*, 34(2), 160–170.  
<https://doi.org/10.1037/h0087646>
- \*\*Fjelstrom, J. (2013) Sexual orientation change efforts and the search for authenticity. *Journal of Homosexuality*, 60(6), 801–827. <https://doi.org/10.1080/00918369.2013.774830>
- \*\*Flentje, A., Heck, N. C., & Cochran, B. N. (2013). Sexual reorientation therapy interventions: Perspectives of ex-ex-gay individuals. *Journal of Gay & Lesbian Mental Health*, 17(3), 256–277.  
<https://doi.org/10.1080/19359705.2013.773268>
- \*\*Flentje, A., Heck, N. C., & Cochran, B. N. (2014). Experiences of ex-ex-gay individuals in sexual reorientation therapy: Reasons for seeking treatment, perceived helpfulness and harmfulness of treatment, and post-treatment identification. *Journal of Homosexuality*, 61(9), 1242–1268. <https://doi.org/10.1080/00918369.2014.926763>
- \*Ford, J. G. (2002). Healing homosexuals: A psychologist’s journey through the ex-gay movement and the pseudo-science of reparative therapy. *Journal of Gay and Lesbian Psychotherapy*, 5(3–4), 69–86. [https://doi.org/10.1300/J236v05n03\\_06](https://doi.org/10.1300/J236v05n03_06). Reprinted in A. Shidlo, M. Schroeder, & J. Drescher (Eds.), *Sexual Conversion Therapy: Ethical, Clinical, and Research Perspectives*. Haworth Medical Press, 69–86.
- \*Forstein, M. (2001). Overview of ethical and research issues in sexual orientation therapy. In A. Shidlo, M. Schroeder, & J. Drescher (Eds.), *Sexual Conversion Therapy: Ethical, Clinical, and Research Perspectives*. Haworth Medical Press, 167–179.
- \*Friedman, R. C. (2003, October). Sexual orientation change: A study of atypical cases. In Peer Commentaries on Spitzer, *Archives of Sexual Behavior*, 32(5), 432–434.

- <https://doi.org/10.1023/A:1025699511081>
- \*Freund, K. (1960). Some problems in the treatment of homosexuality. In H. J. Eysenck (Ed.), *Behavior Therapy and the Neuroses*. Pergamon Press, 312–326.
- \*Freund, K. (1977a). Psychophysiological assessment of change in erotic preferences. *Behaviour Research and Therapy*, 15(3), 297–301. [https://doi.org/10.1016/0005-7967\(77\)90025-0](https://doi.org/10.1016/0005-7967(77)90025-0)
- \*Freund, K. (1977b). Should homosexuality arouse therapeutic concern? *Journal of Homosexuality* 2(3), 235–240. [https://doi.org/10.1300/J082v02n03\\_06](https://doi.org/10.1300/J082v02n03_06)
- Gallagher, S. (2016, April 1). 5 factors in the formation of homosexuality. Pure Life Ministries. <https://www.purelifeministries.org/blog/5-factors-in-the-formation-of-homosexuality>
- Ganna, A., Verweij, K. J. H., Nivard, M. G., Maier, R., Wedow, R., Busch, A. S., Abdellaoui, A., Guo, S., Sathirapongsasuti, J. F., 23andMe Research Team, Lichtenstein, P., Lundström, S., Långström, N., Auton, A., Harris, K. M., Beecham, G. W., Martin, E. R., Sanders, A. R., Perry, J. R. B., . . . Zietsch, B. P. (2019, August 30). Large-scale GWAS reveals insights into the genetic architecture of same-sex sexual behavior. *Science* 365(6456), eaat7693. <https://doi.org/10.1126/science.aat7693>
- \*Gonsiorek, J. C. (2004, August). Reflections from the conversion therapy battlefield. *The Counseling Psychologist*, (32)5, 750–759. <https://doi.org/10.1177/0011000004267621>
- \*\*Grace, A. P. (2008). The charisma and deception of reparative therapies: When medical science beds religion. *Journal of Homosexuality*, 55(4), 545–580. <https://doi.org/10.1080/00918360802421676>
- \*Green, R. (2017, March). Banning therapy to change sexual orientation or gender identity in patients under 18. *Journal of the American Academy of Psychiatry and the Law*, 45(1), 7–11, PMID: 28270456. <http://jaapl.org/content/jaapl/45/1/7.full.pdf>
- \*\*Green, R. J. (2003, January). When therapists do not want their clients to be homosexual: A response to Rosik’s article. *Journal of Marital and Family Therapy*, 29(1), 29–38. <https://doi.org/10.1111/j.1752-0606.2003.tb00380.x>
- Haldeman, D. C. (1991). Sexual orientation conversion therapy for gay men and lesbians: A scientific examination. In J. C. Gonsiorek, & J. D. Weinrich, *Homosexuality: Research Implications for Public Policy*. Sage Publications, 149–160.
- \*Haldeman, D. C. (1994, April). The practice and ethics of sexual orientation conversion therapy. *Journal of Consulting and Clinical Psychology*, 62(2), 221–227. <https://doi.org/10.1037/0022-006X.62.2.221>
- \*Haldeman, D. C. (2001). Therapeutic antidotes: Helping gay and bisexual men recover from conversion therapies. *Journal of Gay and Lesbian Psychotherapy*, 5(3–4), 117–130. [https://doi.org/10.1300/J236v05n03\\_08](https://doi.org/10.1300/J236v05n03_08)
- Haldeman, D. C. (2002, June). Gay rights, patient rights: The implications of sexual orientation conversion therapy. *Professional Psychology: Research and Practice*, 33(3), 260–264. <https://doi.org/10.1037/0735-7028.33.3.260>
- \*\*Haldeman, D. C. (2004, August). When sexual and religious orientation collide: Considerations in working with conflicted same-sex attracted male

- clients. *The Counseling Psychologist*, 32(5), 691–715. <https://doi.org/10.1177/0011000004267560>
- \*Haldeman, D. C. (2012). Sexual orientation conversion therapy: Fact, fiction, and fraud. In S. H. Dworkin & M. Pope (Eds.), *Casebook for Counseling Lesbian, Gay, Bisexual, and Transgendered Persons and Their Families*. American Counseling Association, 297–306.
- \*\*Halpert, S. C. (2000, January). If it ain't broke, don't fix it: Ethical considerations regarding conversion therapies. *International Journal of Sexuality and Gender Studies*, 5(1), 19–35. <https://doi.org/10.1023/A:1010133501054>
- The Health Hazards of Homosexuality: What the Medical and Psychological Research Reveals* (Chapters 6–12). (2017). MassResistance, 97–377.
- \*Hein, L. C., & Matthews, A. K. (2010, February). Reparative therapy: The adolescent, the psych nurse, and the issues. *Journal of Child and Adolescent Psychiatric Nursing*, 23(1), 29–35. <https://doi.org/10.1111/j.1744-6171.2009.00214.x>
- \*Herek, G. M. (2003, October). Evaluating interventions to alter sexual orientation: Methodological and ethical considerations. In Peer commentaries on Spitzer, *Archives of Sexual Behavior*, 32(5), 438–440. <https://doi.org/10.1023/A:1025699511081>
- \*Hill, C. A., & DiClementi, J. D. (2003). Methodological limitations do not justify the claim that same-sex attraction changed through “reparative therapy.” In Peer commentaries on Spitzer, *Archives of Sexual Behavior*, 32(5), 440–442. <https://doi.org/10.1023/A:1025699511081>
- \*Hoffmann, H. (2012, February). Considering the role of conditioning in sexual orientation. *Archives of Sexual Behavior*, 41, 63–71. <https://doi.org/10.1007/s10508-012-9915-9>
- \*\*Jacobsen, J. & Wright, R. (2014, July). Mental health implications in Mormon women's experiences with same-sex attraction: A qualitative study. *The Counseling Psychologist*, 42(5), 664–696. <https://doi.org/10.1177/0011000014533204>
- Jarrett, V. (2015, April 8). Petition Response: On Conversion Therapy. The White House: President Barack Obama. <https://obamawhitehouse.archives.gov/blog/2015/04/08/petition-response-conversion-therapy>
- \*Jenkins, D., & Johnston, L. B. (2004, October). Unethical treatment of gay and lesbian people with conversion therapy. *Families in Society: The Journal of Contemporary Social Sciences*, 85(4), 557–561. <https://doi.org/10.1177/104438940408500414>
- \*Johnson, W. B. (2004). Rational emotive behavior therapy for disturbance about sexual orientation. In P. S. Richards & A. E. Bergin (Eds.), *Casebook for a Spiritual Strategy in Counseling and Psychotherapy*. American Psychological Association, 247–265.
- \*\*Johnston, L. B., & Jenkins, D. (2006). Lesbians and gay men embrace their sexual orientation after conversion therapy and ex-gay ministries: A qualitative study. *Social Work in Mental Health*, 4(3), 61–82. [https://doi.org/10.1300/J200v04n03\\_04](https://doi.org/10.1300/J200v04n03_04)
- \*\*Jones, S. L., & Yarhouse, M. A. (2007). *Ex-gays? A Longitudinal Study of Religiously Mediated Change in Sexual Orientation*. IVP Academic.
- \*\*Jones, S. L., & Yarhouse, M. A. (2011). A longitudinal study of attempted religiously mediated sexual orientation change. *Journal of Sex & Marital*

- Therapy*, 37(5), 404–427.  
<https://doi.org/10.1080/0092623X.2011.607052>
- Karten, E. Y., & Wade, J. C. (2010, January). Sexual orientation change efforts in men: A client perspective. *The Journal of Men's Studies* 18(1) 84–102. <https://doi.org/10.3149/jms.1801.84>
- \*King, M., Smith, G., & Bartlett, A. (2004, February 21). Treatments of homosexuality in Britain since the 1950's—an oral history: The experience of professionals. *BMJ (Clinical research ed.)*, 328(7437), 427. <https://doi.org/10.1136/bmj.37984.442419.EE>
- Keller, R. R. (1992). Clergy. In *Encyclopedia of Mormonism*, 288. Macmillan. <https://eom.byu.edu/index.php/Clergy>
- \*Krajeski, J. P. (1984, September). Masters and Johnson article “seriously flawed.” (Letter to the editor.) *American Journal of Psychiatry*, 141(9), 1131. <https://doi.org/10.1176/ajp.141.9.1131>
- \*Krajeski, J. P., Myers, M. F. Valgema, A. (letters to the editor) & Pattison, E. Mansett (reply). (1981, June). “Ex-gays”: Religious abuse of psychiatry? *American Journal of Psychiatry*, 138(6), 852–853. <https://doi.org/10.1176/ajp.138.6.aj1386852>
- \*Lasser, J. S., & Gottlieb, M. C. (2004, April). Treating patients distressed regarding their sexual orientation: Clinical and ethical alternatives. *Professional Psychology: Research and Practice*, 35(2), 194–200. <https://doi.org/10.1037/0735-7028.35.2.194>
- List of U.S. jurisdictions banning conversion therapy. (Accessed June 23, 2021). Wikipedia. [https://en.wikipedia.org/wiki/List\\_of\\_U.S.\\_jurisdictions\\_banning\\_conversion\\_therapy](https://en.wikipedia.org/wiki/List_of_U.S._jurisdictions_banning_conversion_therapy)
- \*Maccio, E. M. (2010). Influence of family, religion, and social conformity on client participation in sexual reorientation therapy. *Journal of Homosexuality*, 57(3), 441–458. <https://doi.org/10.1080/00918360903543196>
- \*Maccio, E. M. (2011). Self-reported sexual orientation and identity before and after sexual reorientation therapy. *Journal of Gay & Lesbian Mental Health*, 15(3), 242–259. <https://doi.org/10.1080/19359705.2010.544186>
- McConaghy, N., Armstrong, M. S., & Blaszczyński, A. (1981). Controlled comparison of aversive therapy and covert sensitization in compulsive homosexuality. *Behaviour Research and Therapy*, 19(5), 425–434. [https://doi.org/10.1016/0005-7967\(81\)90132-7](https://doi.org/10.1016/0005-7967(81)90132-7)
- \*McGeorge, C. R., Carlson, T. S., & Toomey, R. B. (2015, January). An exploration of family therapists' beliefs about the ethics of conversion therapy: The influence of negative beliefs and clinical competence with lesbian, gay, and bisexual clients. *Journal of Marital and Family Therapy* 41(1), 42–56. <https://doi.org/10.1111/jmft.12040>
- \*Miville, M. L., & Ferguson, A. D. (2004, August). Impossible “choices”: Identity and values at a crossroads. *The Counseling Psychologist*, 32(5), 760–770. <https://doi.org/10.1177/0011000004267568>
- Mock, S. E., & Eibach, R. P. (2012, June). Stability and change in sexual orientation identity over a 10-Year period in adulthood. *Archives of Sexual Behavior* 41(3), 641–648. <https://doi.org/10.1007/s10508-011-9761-1>
- \*Moore, P. (2002). The view from Irving Bieber's couch: “Heads I win, tails you lose.” *Journal of Gay and Lesbian Psychotherapy*, 5(3/4), 25–36. [https://doi.org/10.1300/J236v05n03\\_03](https://doi.org/10.1300/J236v05n03_03)



- \*\*Moran, M. E. (2007). *An Examination of Women's Sexuality and Spirituality: The Effects of Conversion Therapy: A Mixed Study*. Unpublished doctoral dissertation, University of Utah, Salt Lake City, UT.
- \*Morrow, S. L., & Beckstead, A. L. (2004, August). Conversion therapies for same-sex attracted clients in religious conflict: Context, predisposing factors, experiences, and implications for therapy. *The Counseling Psychologist*, 32(5), 641–650. <https://doi.org/10.1177/0011000004268877>
- Nicolosi, J. (1997) *Reparative Therapy of Male Homosexuality: A New Clinical Approach*. Jason Aronson Inc.
- Nicolosi, J. J. (2010). *Shame and Attachment Loss: The Practical Work of Reparative Therapy* (rev. ed.). IVP Academic.
- Nicolosi, J., Byrd, A. D., & Potts, R. W. (2000, June). Retrospective self-reports of changes in homosexual orientation: A consumer survey of conversion therapy clients. *Psychological Reports*, 86(3\_suppl), 1071–1088. <https://doi.org/10.2466/pr0.2000.86.3c.1071>
- Nicolosi, J., Jr. (2018). Resolving trauma and addiction: The Reintegrative Protocol™. *Journal of Human Sexuality* 9, 59–69. [https://df6a7995-c8cd-4a49-bc0d-2ef92e2cf904.filesusr.com/ugd/ec16e9\\_f2a3a406c54e4cb6a95837817fa40bb6.pdf](https://df6a7995-c8cd-4a49-bc0d-2ef92e2cf904.filesusr.com/ugd/ec16e9_f2a3a406c54e4cb6a95837817fa40bb6.pdf)
- NIFLA v. Becerra, 138 S.Ct. 2361 (2018). [https://www.supremecourt.gov/opinions/17pdf/16-1140\\_5368.pdf](https://www.supremecourt.gov/opinions/17pdf/16-1140_5368.pdf)
- \*O'Donohue, W., & Plaud, J. J. (1994, June). The conditioning of human sexual arousal. *Archives of Sexual Behavior*, 23(3), 321–344. <https://doi.org/10.1007/BF01541567>
- Ott, M. Q., Corliss, H. L., Wypij, D., Rosario, M., Austin, S. B. (2011, June). Stability and change in self-reported sexual orientation identity in young people: Application of mobility metrics. *Archives of Sexual Behavior* 40(3), 519–532. <https://doi.org/10.1007/s10508-010-9691-3>
- Otto v. City of Boca Raton, No. 19-10604 (11th Cir. 2020). <https://media.ca11.uscourts.gov/opinions/pub/files/201910604.pdf>
- \*\*Pfaus, J. G., Kippin, T. E., Coria-Avila, G. A., Gelez, H., Afonso, V. M., Ismail, N., & Parada, M. (2012, February). Who, what, where, when (and maybe even why)? How the experience of sexual reward connects sexual desire, preference, and performance. *Archives of Sexual Behavior*, 41(1), 31–62. <https://doi.org/10.1007/s10508-012-9935-5>
- Phelan, J. E., Whitehead, N., & Sutton, P. M. (2009). What research shows: NARTH's response to the APA claims on homosexuality: A report of the scientific advisory committee of the National Association for Research and Therapy of Homosexuality. *Journal of Human Sexuality*, 1. [https://df6a7995-c8cd-4a49-bc0d-2ef92e2cf904.filesusr.com/ugd/ec16e9\\_24409148a6e84875a494c8817ae40b88.pdf](https://df6a7995-c8cd-4a49-bc0d-2ef92e2cf904.filesusr.com/ugd/ec16e9_24409148a6e84875a494c8817ae40b88.pdf)
- \*Ponticelli, C. M. (1999, June). Crafting stories of sexual identity reconstruction. *Social Psychology Quarterly*, 62(2), 157–172. <https://doi.org/10.2307/2695855>
- Rauch, J. (2015, October 13). The truth about people who go to therapy: 11 misconceptions and myths. The Talkspace Voice. <https://www.talkspace.com/blog/truth-people-therapy-misconceptions-myths/>
- \*Reamer, F. (2014). Ethical issues and challenges: Managing moral dilemmas. In A. Dessel & R. Bolen (Eds.), *Conservative Christian beliefs and sexual orientation in social work: Privilege, oppression, and the pursuit of*

- human rights*. CSWE (Council on Social Work Education) Press, 233–256.
- Retraction notice: Effects of therapy on religious men who have unwanted same-sex attraction. (2020, February). *The Linacre Quarterly* 87(1), 108. <https://doi.org/10.1177/0024363919854842>
- Romero, C. (2019). Praying for torture: Why the United Kingdom should ban conversion therapy. *George Washington International Law Review* 51, 201–230. [https://www.gwilr.org/wordpress/wp-content/uploads/2019/06/Praying-For-Torture\\_Romero.pdf](https://www.gwilr.org/wordpress/wp-content/uploads/2019/06/Praying-For-Torture_Romero.pdf)
- Rosik, C. H. (2001, March). Conversion therapy revisited: Parameters and rationale for ethical care. *Journal of Pastoral Care* 55(1), 47–67. <https://doi.org/10.1177/002234090105500107>
- Rosik, C. H. (2014). The reincarnation of Shidlo and Schroeder (2002): New studies introduce anti-SOCE advocacy research to the next generation. *Journal of Human Sexuality* 6, 23–49. [https://8c581b4a-ebba-4f97-ab9b-725231cd9e3c.filesusr.com/ugd/ec16e9\\_c09726fb6df1403dae082c92f3d3d4ef.pdf](https://8c581b4a-ebba-4f97-ab9b-725231cd9e3c.filesusr.com/ugd/ec16e9_c09726fb6df1403dae082c92f3d3d4ef.pdf)
- Rosik, C. (2016, May 27). Sexual Attraction Fluidity Exploration in Therapy (SAFE-T): Creating a clearer impression of professional therapies that allow for change. Alliance for Therapeutic Choice and Scientific Integrity. [https://a20ceadd-0fb7-4982-bbe2-099c8bc1e2ae.filesusr.com/ugd/ec16e9\\_1940a968273d47f5be4bdf9614d2dd0c.pdf](https://a20ceadd-0fb7-4982-bbe2-099c8bc1e2ae.filesusr.com/ugd/ec16e9_1940a968273d47f5be4bdf9614d2dd0c.pdf)
- \*\*Santero, P. L., Whitehead, N. E., & Ballesteros, D. (2018, August). Effects of therapy on religious men who have unwanted same-sex attraction. *The Linacre Quarterly* 85(3), NP1–NP17. <https://doi.org/10.1177/0024363918788559> (Note: although this article has been retracted by the editor, the original article can be found online at: [https://lc.org/PDFs/Attachments2PRsLAs/2018/081618SOCEStudySanteroWhitehead&Ballesteros\(2018\).pdf](https://lc.org/PDFs/Attachments2PRsLAs/2018/081618SOCEStudySanteroWhitehead&Ballesteros(2018).pdf)).
- Savin-Williams, R. C., & Ream, G. L. (2007, June). Prevalence and stability of sexual orientation components during adolescence and young adulthood. *Archives of Sexual Behavior* 36(3), 385–394. <https://doi.org/10.1007/s10508-006-9088-5>
- \*\*Savin-Williams, R. C. (2016, September). Sexual orientation: Categories or continuum? Commentary on Bailey et al. (2016). *Psychological Science in the Public Interest*, 17(2), 37–44. <https://doi.org/10.1177/1529100616637618>
- Schermuly-Haupt, M.-L., Linden, M., & Rush, A. J. (2018, June). Unwanted events and side effects in cognitive behavior therapy. *Cognitive Therapy and Research* 42(3), 219–229. <https://doi.org/10.1007/s10608-018-9904-y>
- \*Schneider, M. S., Glassgold, J. M., & Brown, L. S. (2002, June). Implementing the resolution on Appropriate Therapeutic Responses to Sexual Orientation: A guide for the perplexed. *Professional Psychology: Research and Practice*, 33(3), 265–276. <https://doi.org/10.1037/0735-7028.33.3.265>
- \*Schreier, B. A. (1998). Of shoes, ships and sealing wax: The faulty and specious assumptions of sexual reorientation therapies. *Journal of Mental Health Counseling*, 20(4), 305–314. Abstract: <https://psycnet.apa.org/record/1999-13888-002>
- \*\*Schrimshaw, E. W., Siegel, K., Downing, M. J., Jr., & Parsons, J. T. (2013, February). Disclosure and concealment

- of sexual orientation and the mental health of non-gay-identified, behaviorally bisexual men. *Journal of Consulting and Clinical Psychology*, 81(1), 141–153.  
<https://doi.org/10.1037/a0031272>
- \*Schroeder, M., & Shidlo, A. (2002). Ethical issues in sexual orientation conversion therapies: An empirical study of consumers. *Journal of Gay & Lesbian Psychotherapy*, 5(3/4), 131–166.  
[https://doi.org/10.1300/J236v05n03\\_09](https://doi.org/10.1300/J236v05n03_09)
- \*Serovich, J. M., Craft, S., Toviss, P., Gangamma, R., McDowell, T., & Grafsky, E. L. (2008, April). A systematic review of the research base on sexual reorientation therapies. *Journal of Marital and Family Therapy*, 34(2), 227–238. <https://doi.org/10.1111/j.1752-0606.2008.00065.x>
- Sexual orientation change efforts*, California Business and Professions Code, Div. 2, Chap. 1, Art. 15 (added by Stats. 2012, Ch. 835, Sec. 2). (2012, September 30). [https://leginfo.ca.gov/faces/codes\\_displayText.xhtml?lawCode=BPC&division=2.&title=&part=&chapter=1.&article=15](https://leginfo.ca.gov/faces/codes_displayText.xhtml?lawCode=BPC&division=2.&title=&part=&chapter=1.&article=15)
- \*Shidlo, A., & Schroeder, M. (2002, June). Changing sexual orientation: A consumers' report. *Professional Psychology: Research and Practice*, 33(3), 249–259. <https://doi.org/10.1037/0735-7028.33.3.249>
- \*Silverstein, C. (2003). The religious conversion of homosexuals: Subject selection is the *voir dire* of psychological research. *Journal of Gay & Lesbian Psychotherapy*, 7(3), 31–53.  
[https://doi.org/10.1300/J236v07n03\\_03](https://doi.org/10.1300/J236v07n03_03)
- \*Smith, G., Bartlett, A., & King, M. (2004, January 29). Treatments of homosexuality in Britain since 1950—an oral history: The experience of patients. *BMJ (Clinical research ed.)*, 328(7437), 427–429.  
<https://doi.org/10.1136/bmj.37984.442419.EE>
- Spitzer, R. L. (2003, October). Can some gay men and lesbians change their sexual orientation? 200 participants reporting a change from homosexual to heterosexual orientation. *Archives of Sexual Behavior* 32(5), 403–417.  
<https://doi.org/10.1023/a:1025647527010>
- Sprigg, P. (2014, March). Protect Client and Therapist Freedom of Choice Regarding Sexual Orientation Change Efforts (Issue Analysis IS14C03). Family Research Council. <https://downloads.frc.org/EF/EF14C40.pdf>
- Sprigg, P. (2018a, January 30). New York Times Spreads Fake News About Sexual Orientation Therapy. FRC Blog. <https://www.frcblog.com/2018/01/new-york-times-spreads-fake-news-about-sexual-orientation-therapy/>
- Sprigg, P. (2018b, May). The hidden truth about changing sexual orientation: Ten ways pro-LGBT sources undermine the case for therapy bans (Issue Analysis IS18E01). Family Research Council. <https://downloads.frc.org/EF/EF18E83.PDF>
- Sprigg, P. (2018c, September). Are sexual orientation change efforts (SOCE) effective? Are they harmful? What the evidence shows (Issue Analysis IS18I01). Family Research Council. <https://downloads.frc.org/EF/EF18I04.pdf>
- Sprigg, P. (2019a, March). Evidence shows sexual orientation can change: Debunking the myth of “immutability” (Issue Analysis IS19C01). Family Research Council. <https://downloads.frc.org/EF/EF19C38.pdf>
- Sprigg, P. (2019b, August 30). Landmark study determines there is no “gay gene.” FRC Blog. <https://frcblog.com/2019/08/>

- landmark-study-determines-there-no-gay-gene/  
 Sprigg, P. (2020, November). No proof of harm: 79 key studies provide no scientific proof that sexual orientation change efforts (SOCE) are usually harmful (Issue Analysis No. IS20K01). Family Research Council. <https://downloads.frc.org/EF/EF20K33.pdf> (Appendices at <https://downloads.frc.org/EF/EF20K34.pdf>).
- \*Steigerwald, F., & Janson, G. R. (2003, January). Conversion therapy: Ethical considerations in family counseling. *The Family Journal: Counseling and Therapy for Couples and Families*, 11(1), 55–59. <https://doi.org/10.1177/1066480702238473>
- Sullins, D. P., Rosik, C. H., & Santero, P. (2021, August 9). Efficacy and risk of sexual orientation change efforts: A retrospective analysis of 125 exposed men. *F1000Research*. <https://doi.org/10.12688/f1000research.51209.2>
- Throckmorton, W. (1998, October). Efforts to modify sexual orientation: A review of outcome literature and ethical issues. *Journal of Mental Health Counseling*, 20(4), 283–304 (edited version retrieved June 11, 2003 from NARTH.com).
- Throckmorton, W. (2011, September 26). NARTH report: Suicide attempts increase during sexual orientation change therapy. <https://www.wthrockmorton.com/2011/09/26/narth-report-suicide-attempts-increase-during-sexual-orientation-change-therapy/>
- \*Tozer, E. E., & Hayes, J. A. (2004, August). Why do individuals seek conversion therapy? The role of religiosity, internalized homonegativity, and identity development. *The Counseling Psychologist*, 32(5), 716–740. <https://doi.org/10.1177/0011000004267563>
- \*Tozer, E. E., & McClanahan, M. K. (1999, September). Treating the purple menace: Ethical considerations of conversion therapy and affirmative alternatives. *The Counseling Psychologist*, 27(5), 722–742. <https://doi.org/10.1177/0011000099275006>
- 2014 ACA Code of Ethics. (2014). American Counseling Association. <https://www.counseling.org/Resources/aca-code-of-ethics.pdf>
- \*Wakefield, J. C. (2003). Sexual reorientation therapy: Is it ever ethical? Can it ever change sexual orientation? In Peer commentaries on Spitzer, *Archives of Sexual Behavior*, 32(5), 457–460. <https://doi.org/10.1023/A:1025699511081>
- \*\*Walker, M. D. (2013). When clients want your help to “pray away the gay”: Implications for couple and family therapists. *Journal of Feminist Family Therapy*, 25(2), 112–134. <https://doi.org/10.1080/08952833.2013.777875>
- Ward, J. (2017, December 2). *The evangelical professor who turned against “reparative therapy” for gays*. Yahoo!News. <https://www.yahoo.com/news/evangelical-professor-turned-reparative-therapy-gays-174326663.html>
- \*\*Weiss, E. M., Morehouse, J., Yeager, T., & Berry, T. (2010). A qualitative study of ex-gay and ex-ex-gay experiences. *Journal of Gay & Lesbian Mental Health*, 14(4), 291–319. <https://doi.org/10.1080/19359705.2010.506412>
- Whitehead, N. E. (2019). Publication and retraction of the Santero, Whitehead, & Ballesteros (2018) study: A first-hand account. *Journal of Human Sexuality* 10, 74–78. <https://df6a7995-c8cd-4a49-bc0d-2ef92e2cf904.filesusr.com/ugd/>

ec16e9\_ced9479c8b5049b7a7f2e8eed3c  
8843b.pdf

Winn, R. J. (2012, May). Ten things gay  
men should discuss with their healthcare

provider. GLMA. [http://www.glma.org/  
index.cfm?fuseaction=Page.viewPage&  
pageID=690](http://www.glma.org/index.cfm?fuseaction=Page.viewPage&pageID=690).

## Appendix

### Keywords Searched in 24 of the “Measures of Harm” Studies

*In the studies which the author of this paper did not read in full, keywords related to possible harms of SOCE were searched. These terms included negative ones (e.g., danger, harm, risk); neutral ones (consequence, outcome, result); and positive ones which might be contrasted with the negative (benefit, help, safe). All forms of a word were included (noun, adjective, singular, plural, etc.). Each time a relevant word was identified in the text of the study or article, the context was examined to determine if it was actually a reference to harmful outcomes attributable to SOCE. Not all of these words were searched in every article; instead, this list was continually expanded as new possible keywords were identified. Nevertheless, I feel confident that this search was thorough enough to identify any references to harms of SOCE in the articles not read in full.*

abuse	discomfort	recondition
adverse	distress	result
anxiety	effect	risk
aversion	exacerbate	safe
benefit	exploitation	self-destructive
breakdown	guilt	sensitization
complication	harm	sequelae
consequence	help	severe
concern	hindrance	shame
damage	homophobia	suicide
danger	hurt	symptom
death	impact	torture
decrement	maladaptive	troubled
depression	negative	violate
destructive	outcome	well-being
deteriorate	problem	worse
detriment	psychotic	wound
difficult	reaction	